

# Ammonium Cerium Sulphate Dihydrate ALPHA CHEMICALS PTY LTD

Chemwatch Hazard Alert Code: 2

Chemwatch: <b>64-5792</b>	Issue Date: <b>23/12/2022</b>
Version No: <b>4.1</b>	Print Date: <b>18/01/2024</b>
Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements	S.GHS.AUS.EN

### SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product	Identifier
Product	laentiner

Product name	Ammonium Cerium Sulphate Dihydrate
Chemical Name	cerium(IV) ammonium sulfate
Synonyms	Product Code: 21232
Chemical formula	Not Applicable
Other means of identification	Not Available

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	General chemical reagent. Use according to manufacturer's directions.
--------------------------	--

#### Details of the manufacturer or supplier of the safety data sheet

Registered company name	ALPHA CHEMICALS PTY LTD
Address	4 ALLEN PLACE WETHERILL PARK NSW 2164 Australia
Telephone	61 (0)2 9982 4622
Fax	Not Available
Website	~
Email	shane@alphachem.com.au

#### Emergency telephone number

Association / Organisation	ALPHA CHEMICALS PTY LTD	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	61 (0)418 237 771	+61 1800 951 288
Other emergency telephone numbers	Not Available	+61 3 9573 3188

#### Once connected and if the message is not in your preferred language then please dial 01

#### **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

### HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

## Chemwatch Hazard Ratings

	Min	Max	
Flammability	0	1	
Toxicity	1		0 = Minimum
Body Contact	2	1	1 = Low
Reactivity	2		2 = Moderate
Chronic	0	1	3 = High 4 = Extreme

Poisons Schedule	Not Applicable	
Classification <sup>[1]</sup>	Oxidizing Solids Category 3, Serious Eye Damage/Eye Irritation Category 2B	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Hazard pictogram(s)	
Signal word	Warning
Hazard statement(s)	
H272	May intensify fire; oxidiser.
H320	Causes eye irritation.

#### Precautionary statement(s) Prevention

• • • • •		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P220	Keep away from clothing and other combustible materials.	
P280	Wear protective gloves and protective clothing.	
P264	Wash all exposed external body areas thoroughly after handling.	

#### Precautionary statement(s) Response

P370+P378	In case of fire: Use water spray/fog to extinguish.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

#### Precautionary statement(s) Storage

Not Applicable

### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

## **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
13840-04-5	60-100	cerium(IV) ammonium sulfate
Not Available	balance	Ingredients determined not to be hazardous
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

### SECTION 4 First aid measures

Description of first aid measur	es
Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 Firefighting measures**

- There is no restriction on the type of extinguisher which may be used.
  Use extinguishing media suitable for surrounding area.

#### Special hazards arising from the substrate or mixture

opecial nazarus ansing nom the substrate of mixture		
Fire Incompatibility	None known.	

Advice for firefighters	
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> <li>Equipment should be thoroughly decontaminated after use.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Will not burn but increases intensity of fire.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>Heat affected containers remain hazardous.</li> <li>Contact with combustibles such as wood, paper, oil or finely divided metal may produce spontaneous combustion or violent decomposition.</li> <li>May emit irritating, poisonous or corrosive fumes.</li> <li>Decomposition may produce toxic fumes of: nitrogen oxides (NOx)</li> <li>sulfur oxides (SOx)</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>
HAZCHEM	Not Applicable

#### **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>No smoking, naked lights, ignition sources.</li> <li>Avoid all contact with any organic matter including fuel, solvents, sawdust, paper or cloth and other incompatible materials, as ignition may result.</li> <li>Avoid breathing dust or vapours and all contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with dry sand, earth, inert material or vermiculite.</li> <li>DO NOT use sawdust as fire may result.</li> <li>Scoop up solid residues and seal in labelled drums for disposal.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May be violently or explosively reactive.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Consider evacuation (or protect in place).</li> <li>No smoking, flames or ignition sources.</li> <li>Increase ventilation.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	<ul> <li>For oxidisers, including peroxides.</li> <li>Avoid personal contact and inhalation of dust, mist or vapours.</li> <li>Provide adequate ventilation.</li> <li>Always wear protective equipment and wash off any spillage from clothing.</li> <li>Keep material away from light, heat, flammables or combustibles.</li> <li>Keep cool, dry and away from incompatible materials.</li> <li>Avoid physical damage to containers.</li> <li><b>DO NOT</b> repack or return unused portions to original containers.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry area protected from environmental extremes.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> <li>For major quantities:</li> <li>Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams).</li> <li>Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.</li> </ul>

### Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Glass container is suitable for laboratory quantities</li> <li>Polyethylene or polypropylene container.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	<ul> <li>Inorganic reducing agents react with oxidizing agents to generate heat and products that may be flammable, combustible, or otherwise reactive. Their reactions with oxidizing agents may be violent.</li> <li>Incidents involving interaction of active oxidants and reducing agents, either by design or accident, are usually very energetic and examples of so-called redox reactions.</li> <li>Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous</li> <li>Avoid storage with reducing agents.</li> </ul>

### **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

L	Occupational	Exposure	Limits	(OEL)
---	--------------	----------	--------	-------

## INGREDIENT DATA

Not Available

Notes:

### Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Ammonium Cerium Sulphate Dihydrate	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
cerium(IV) ammonium sulfate	Not Available		Not Available	
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating		Occupational Exposure Band Limit	
cerium(IV) ammonium sulfate	E		≤ 0.01 mg/m³	

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

Appropriate engineering controls which involve changing the way a job activity or process is done to reduce the risk.         Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed property. The design of a ventilation system must match the particular process and chemical or contaminant in use.         Employers may need to use multiple types of controls to prevent employee overexposure.       • Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.         Individual protection measures, such as personal protective equipment       • Safety glasses with side shields.         • Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be created for each workplace or task. This should include a review of lens absorption in the wearing of lenses or restrictions on use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be created or eadily available. In the event of chemical exposure, begin eye irrigation immediately and	xposure controls		
measures, such as personal protective equipment       • Safety glasses with side shields.         Eye and face protection       • Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing have waring of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or initiation - lens should be removed in a clean environment only after workers have washed hands thoroughly.         Hends/feet protection       See Hand protection below       The selection of suitable equipment of substances has to be obtained from the manufacturer of the protective gloves and has to be cobserved when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be waraing of lense and order dhoroughly. Application of a non-perfumed moisturiser is recommended. Suitability and durability of glove type is dependent on usage. Suitability and durability of glove type is dependent on usage. Suitability and durability of glove type is dependent on usage. Suitability and durability of glove type is dependent on usage. Disploy/incorpense. Holy/unbber: Hunds/feet protectioe. Holy/unbber: Hunds/feet protection. Holy/u		The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain	
Eye and face protectionContact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed at the first signs of eye redness or irritation - lens should be removed at the first signs of eye redness or irritation - lens should be removed at the first signs of eye redness or irritation - lens should be removed at the first signs of eye redness or irritation - lens should be removed at the first signs of eye redness or irritation - lens should be removed at a clean environment only after workers have washed hands thoroughly.Skin protectionSee Hand protection belowThe selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Suitability and durability of glove type is dependent on usage. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. butyl rubber. b	measures, such as personal		
Hands/feet protection       The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.         Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.         Suitability and durability of glove type is dependent on usage.         Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. <ul> <li>polychloroprene.</li> <li>nitrile rubber.</li> <li>butyl rubber.</li> <li>fluorocaoutchouc.</li> <li>polyvinyl chloride.</li> <li>Gloves should be examined for wear and/ or degradation constantly.</li> </ul>	Eye and face protection	<ul> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in</li> </ul>	
Hands/feet protection       manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.         Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.         Suitability and durability of glove type is dependent on usage.         Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. <ul> <li>polychloroprene.</li> <li>filuorocaoutchouc.</li> <li>polyvinyl chloride.</li> <li>Gloves should be examined for wear and/ or degradation constantly.</li> </ul>	Skin protection	See Hand protection below	
	Hands/feet protection	<ul> <li>manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.</li> <li>Suitability and durability of glove type is dependent on usage.</li> <li>Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.</li> <li>polychloroprene.</li> <li>nitrile rubber.</li> <li>butyl rubber.</li> <li>fluorocaoutchouc.</li> <li>polyvinyl chloride.</li> </ul>	
	Body protection		

 Other protection

 P.V.C apron.
 Barrier cream.
 Skin cleansing cream.
 Eye wash unit.

#### **Respiratory protection**

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

\* - Negative pressure demand \*\* - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
 Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under

appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

### **SECTION 9** Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance	Yellow solid; soluble with water.		
Physical state	Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	130	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	1-2 (10%)
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

#### **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 Toxicological information**

	Levels above 10 micrograms per cubic metre of suspended inorganic sulfates	in the air may cause an excess risk of asthmatic attacks in		
	susceptible people. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures. Exposure to vapours of some rare earth salts can cause sensitivity to heat, itching, and increased sensitivity of smell and taste. Other effects include inflamed airways and cell changes. There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.			
Inhaled				
	Accidental ingestion of the material may be damaging to the health of the individual.			
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Sulfates are not well absorbed orally, but can cause diarrhoea. Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination, laboured breathing, and inactivity. Respiratory and heart failure may follow causing death. Large doses of ammonia or injected ammonium salts may produce diarrhoea and may be sufficiently absorbed to produce increased production of urine and systemic poisoning. Symptoms include weakening of facial muscle, tremor, anxiety, reduced muscle and limb control.			
Skin Contact	Open cuts, abraded or irritated skin should not be exposed to this material There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.			
Eye	There is some evidence to suggest that this material can cause eye irritation a	nd damage in some persons.		
Chronic	Substance accumulation, in the human body, may occur and may cause some There is some evidence that inhaling this product is more likely to cause a ser population. Cerium is one of the rare earth metals - light type (cerium family). Rare earth r inhalation can still cause scarring of the lungs. Levels above 10 micrograms per cubic metre of suspended inorganic sulfates susceptible people.	sitisation reaction in some persons compared to the general netals have not been shown to have toxic effects, but dust		
	TOXICITY	ITATION		
Ammonium Cerium Sulphate Dihydrate		Available		
	TOXICITY	ITATION		
erium(IV) ammonium sulfate	Not Available No	Available		
Legend:	<ol> <li>Value obtained from Europe ECHA Registered Substances - Acute toxicity specified data extracted from RTECS - Register of Toxic Effect of chemical Su No significant acute toxicological data identified in literature search.</li> </ol>	2. Value obtained from manufacturer's SDS. Unless otherwise		
Ammonium Cerium Sulphate Dihydrate & CERIUM(IV)	specified data extracted from RTECS - Register of Toxic Effect of chemical Su No significant acute toxicological data identified in literature search. Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death. For typical lanthanides: Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure. Chronic inhalation toxicity: Chronically exposed humans have been shown to l enlargement of lymph nodes of the bronchi being observed. Developmental/reproductive toxicity: One animal study did not show lanthanur Mutation-causing potential: Animal studies showed cerium oxide to be negativ	2. Value obtained from manufacturer's SDS. Unless otherwise bstances laboured breathing, and inactivity. Respiratory and heart failure , laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic have lanthanide particles accumulate in the airway, with in carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential.		
Ammonium Cerium Sulphate	specified data extracted from RTECS - Register of Toxic Effect of chemical Su No significant acute toxicological data identified in literature search. Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death. For typical lanthanides: Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure. Chronic inhalation toxicity: Chronically exposed humans have been shown to enlargement of lymph nodes of the bronchi being observed. Developmental/reproductive toxicity: One animal study did not show lanthanur	R. Value obtained from manufacturer's SDS. Unless otherwise bstances Iaboured breathing, and inactivity. Respiratory and heart failure , laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic ave lanthanide particles accumulate in the airway, with n carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential. um carbonate is not carcinogenic. to the material ends. This may be due to a non-allergic condition of the material ends. This may be due to a non-allergic condition in a non-atopic individual, with sudden onset of persistent the irritant. Other criteria for diagnosis of RADS include a reversibivity on methacholine challenge testing, and the lack of minimal irritating inhalation is an infrequent disorder with rates related to e other hand, industrial bronchitis is a disorder that occurs as a		
Ammonium Cerium Sulphate Dihydrate & CERIUM(IV)	specified data extracted from RTECS - Register of Toxic Effect of chemical Su No significant acute toxicological data identified in literature search. Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death. For typical lanthanides: Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure. Chronic inhalation toxicity: Chronically exposed humans have been shown to be enlargement of lymph nodes of the bronchi being observed. Developmental/reproductive toxicity: One animal study did not show lanthanur Mutation-causing potential: An long-term animal (rat) study showed that lanthar Asthma-like symptoms may continue for months or even years after exposure known as reactive airways dysfunction syndrome (RADS) which can occur aft criteria for diagnosing RADS include the absence of previous airways disease asthma-like symptoms within minutes to hours of a documented exposure to t airflow pattern on lung function tests, moderate to severe bronchial hyperreac lymphocytic inflammation, without eosinophilia. RADS (or asthma) following and the concentration of and duration of exposure to the irritating substance. On the result of exposure due to high concentrations of irritating substance (often pr	R. Value obtained from manufacturer's SDS. Unless otherwise bstances Iaboured breathing, and inactivity. Respiratory and heart failure , laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic ave lanthanide particles accumulate in the airway, with n carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential. um carbonate is not carcinogenic. to the material ends. This may be due to a non-allergic condition of the material ends. This may be due to a non-allergic condition in a non-atopic individual, with sudden onset of persistent the irritating inhalation is an infrequent disorder with rates related to te other hand, industrial bronchitis is a disorder that occurs as a		
Ammonium Cerium Sulphate Dihydrate & CERIUM(IV) AMMONIUM SULFATE	specified data extracted from RTECS - Register of Toxic Effect of chemical Su No significant acute toxicological data identified in literature search. Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death. For typical lanthanides: Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure. Chronic inhalation toxicity: Chronically exposed humans have been shown to be enlargement of lymph nodes of the bronchi being observed. Developmental/reproductive toxicity: One animal study did not show lanthanur Mutation-causing potential: An long-term animal (rat) study showed that lanthar Asthma-like symptoms may continue for months or even years after exposure known as reactive airways dysfunction syndrome (RADS) which can occur afte criteria for diagnosing RADS include the absence of previous airways disease asthma-like symptoms within minutes to hours of a documented exposure to t airflow pattern on lung function tests, moderate to severe bronchial hyperreac lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an the concentration of and duration of exposure to the irritating substance. On th result of exposure due to high concentrations of irritating substance. On th result of exposure due to high concentrations of irritating substance (often par disorder is characterized by difficulty breathing, cough and mucus production.	2. Value obtained from manufacturer's SDS. Unless otherwise bistances laboured breathing, and inactivity. Respiratory and heart failure , laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic have lanthanide particles accumulate in the airway, with the carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential. um carbonate is not carcinogenic. to the material ends. This may be due to a non-allergic condition er exposure to high levels of highly irritating compound. Main in a non-atopic individual, with sudden onset of persistent te irritant. Other criteria for diagnosis of RADS include a reversib ivity on methacholine challenge testing, and the lack of minimal i.riritating inhalation is an infrequent disorder with rates related to e other hand, industrial bronchitis is a disorder that occurs as a icles) and is completely reversible after exposure ceases. The		
Ammonium Cerium Sulphate Dihydrate & CERIUM(IV) AMMONIUM SULFATE	specified data extracted from RTECS - Register of Toxic Effect of chemical Su No significant acute toxicological data identified in literature search. Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death. For typical lanthanides: Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure. Chronic inhalation toxicity: Chronically exposed humans have been shown to be enlargement of lymph nodes of the bronchi being observed. Developmental/reproductive toxicity: One animal study did not show lanthanur Mutation-causing potential: An long-term animal (rat) study showed that lanthar Asthma-like symptoms may continue for months or even years after exposure known as reactive airways dysfunction syndrome (RADS) which can occur afte criteria for diagnosing RADS include the absence of previous airways disease asthma-like symptoms within minutes to hours of a documented exposure to t airflow pattern on lung function tests, moderate to severe bronchial hyperreac lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an the concentration of and duration of exposure to the irritating substance. On th result of exposure due to high concentrations of irritating substance. On th result of exposure due to high concentrations of irritating substance (often par disorder is characterized by difficulty breathing, cough and mucus production.	P. Value obtained from manufacturer's SDS. Unless otherwise betances  Iaboured breathing, and inactivity. Respiratory and heart failure , laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic ave lanthanide particles accumulate in the airway, with n carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential. um carbonate is not carcinogenic. to the material ends. This may be due to a non-allergic condition r exposure to high levels of highly irritating compound. Main in a non-atopic individual, with sudden onset of persistent e irritant. Other criteria for diagnosis of RADS include a reversib vity on methacholine challenge testing, and the lack of minimal irritating inhalation is an infrequent disorder with rates related to e other hand, industrial bronchitis is a disorder that occurs as a icles) and is completely reversible after exposure ceases. The		
Ammonium Cerium Sulphate Dihydrate & CERIUM(IV) AMMONIUM SULFATE Acute Toxicity Skin Irritation/Corrosion	specified data extracted from RTECS - Register of Toxic Effect of chemical Sult         No significant acute toxicological data identified in literature search.         Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death.         For typical lanthanides:         Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure.         Chronic inhalation toxicity: Chronically exposed humans have been shown to lenlargement of lymph nodes of the bronchi being observed.         Developmental/reproductive toxicity: One animal study did not show lanthanur Mutation-causing potential: An long-term animal (rat) study showed that lanthar Asthma-like symptoms may continue for months or even years after exposure known as reactive airways dysfunction syndrome (RADS) which can occur after criteria for diagnosing RADS include the absence of previous airways disease asthma-like symptoms within minutes to hours of a documented exposure to the airflow pattern on lung function tests, moderate to severe bronchial hyperreace lymphocytic inflammation, without eosinophila. RADS (or asthma) following and the concentration of and duration of exposure to the irritating substance. On the result of exposure due to high concentrations of irritating substance (often par disorder is characterized by difficulty breathing, cough and mucus production.         X       Car	Nalue obtained from manufacturer's SDS. Unless otherwise bestances     laboured breathing, and inactivity. Respiratory and heart failure     laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic have lanthanide particles accumulate in the airway, with the carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential. um carbonate is not carcinogenic. to the material ends. This may be due to a non-allergic condition in a non-atopic individual, with sudden onset of persistent the irritant. Other criteria for diagnosis of RADS include a reversib vity on methacholine challenge testing, and the lack of minimal irritating inhalation is an infrequent disorder with rates related to e other hand, industrial bronchitis is a disorder that occurs as a icles) and is completely reversible after exposure ceases. The <b>cinogenicity</b> X <b>the Exposure</b> X		
Ammonium Cerium Sulphate Dihydrate & CERIUM(IV) AMMONIUM SULFATE Acute Toxicity Skin Irritation/Corrosion erious Eye Damage/Irritation Respiratory or Skin	specified data extracted from RTECS - Register of Toxic Effect of chemical Sultaria         No significant acute toxicological data identified in literature search.         Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination may follow causing death.         For typical lanthanides:         Symptoms of toxicity from rare earth elements include writhing, inco-ordination swallowing. However, if given through the peritoneal cavity, they may be seven They cause granulomas after exposure.         Chronic inhalation toxicity: Chronically exposed humans have been shown to lenlargement of lymph nodes of the bronchi being observed.         Developmental/reproductive toxicity: One animal study did not show lanthanum Mutation-causing potential: An long-term animal (rat) study showed that lanthar Asthma-like symptoms may continue for months or even years after exposure known as reactive airways dysfunction syndrome (RADS) which can occur after criteria for diagnosing RADS include the absence of previous airways disease asthma-like symptoms within minutes to hours of a documented exposure to th airflow pattern on lung function tests, moderate to severe bronchial hyperreace lymphocytic inflammation, without eosinophilla. RADS (or asthma) following an the concentration of and duration of exposure to the irritating substance. On the result of exposure due to high concentrations of irritating substance (often par disorder is characterized by difficulty breathing, cough and mucus production.         X       Car         X       Car         X       Car	Nalue obtained from manufacturer's SDS. Unless otherwise bestances     laboured breathing, and inactivity. Respiratory and heart failure     laboured breathing, and sedation. They show low toxicity via ely toxic, and injected through the skin, they are moderately toxic have lanthanide particles accumulate in the airway, with the carbonate to affect fertility or harm the foetus. e with respect to mutation-causing potential. um carbonate is not carcinogenic. to the material ends. This may be due to a non-allergic condition or exposure to high levels of highly irritating compound. Main in a non-atopic individual, with sudden onset of persistent the irritant. Other criteria for diagnosis of RADS include a reversib ivity on methacholine challenge testing, and the lack of minimal irritating inhalation is an infrequent disorder with rates related to e other hand, industrial bronchitis is a disorder that occurs as a icles) and is completely reversible after exposure ceases. The <b>cinogenicity</b> × <b>le Exposure</b> ×		

#### Toxicity

Ammonium Cerium Sulphate	En
Dihydrate	

Species

	Not Available	Not Available	Not Available	Not Available	Not Available
cerium(IV) ammonium sulfate	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan)				

- Bioconcentration Data 8. Vendor Data

#### For Inorganic Sulfate:

Environmental Fate - Sulfates can produce a laxative effect at concentrations of 1000 - 1200 mg/liter, but no increase in diarrhea, dehydration or weight loss. The presence of sulfate in drinking-water can also result in a noticeable taste. Sulfate may also contribute to the corrosion of distribution systems. No health-based guideline value for sulfate in drinking water is proposed.

Atmospheric Fate: Sulfates are removed from the air by both dry and wet deposition processes. Wet deposition processes including rain-out (a process that occurs within the clouds) and washout (removal by precipitation below the clouds) which contribute to the removal of sulfate from the atmosphere.

Terrestrial Fate: Soil - In soil, the inorganic sulfates can adsorb to soil particles or leach into surface water and groundwater. Plants - Sodium sulfate is not very toxic to terrestrial plants however; sulfates can be taken up by plants and be incorporated into the parenchyma of the plant.

For Metal:

Atmospheric Fate - Metal-containing inorganic substances generally have negligible vapour pressure and are not expected to partition to air.

Environmental Fate: Environmental processes, such as oxidation, the presence of acids or bases and microbiological processes, may transform insoluble metals to more soluble ionic forms. Environmental processes may enhance bioavailability and may also be important in changing solubilities.

Aquatic/Terrestrial Fate: When released to dry soil, most metals will exhibit limited mobility and remain in the upper layer; some will leach locally into ground water and/ or surface water ecosystems when soaked by rain or melt ice. A metal ion is considered infinitely persistent because it cannot degrade further. Once released to surface waters and moist soils their fate depends on solubility and dissociation in water. A significant proportion of dissolved/ sorbed metals will end up in sediments through the settling of suspended particles. The remaining metal ions can then be taken up by aquatic organisms. Ionic species may bind to dissolved ligands or sorb to solid particles in water. For Cerium:

Environmental Fate: Despite their name, rare earth elements are relatively plentiful in the Earth's crust, with cerium being the 25th most abundant element. Cerium compounds include cerium oxide, cerium carbonate, and cerium chloride.

Atmospheric Fate: Cerium oxidizes very readily at room temperature, especially in moist air. Except for europium, cerium is the most reactive of the rare-earth metals.

Terrestrial Fate: Soil Cerium is found in minerals including allanite, monazite, cerite, and bastnaesite. Plants Crops can take up cerium.

Aquatic Fate: Cerium oxide and cerium carbonate are insoluble in water, while cerium chloride is soluble in water. Cerium has affinity for humic substances, which may alter its availability in aquatic systems.

For Lanthanoids (Formerly Lanthanides: Synonym Rare Earth Metals and their Salts):

Environmental Fate: Rare earths, such as the lanthanoids, are relatively abundant in the crust of the Earth. These elements are not rare -scientists once thought these substances were only found in very small amounts on the Earth Most of the lanthanides occur together in nature, and they are very difficult to separate from each other. The lanthanides form alloys, (mixtures), with many other metals, and these alloys exhibit a wide range of physical properties. Lanthanoid emissions to the environment have increased as a result of the growing industrial applications of these elements; however, robust data to evaluate the environmental fate of lanthanoids are scarce.

Atmospheric Fate: These substances react with oxygen in the atmosphere to form an oxide residue which tarnishes surfaces exposed to these elements. They burn readily in air to form oxides.

Terrestrial Fate: Soil - Lanthanoids can be found in most soils. These substances are expected to strongly sorb to soil and are not expected to evaporate from soil surfaces. For Ammonia:

Atmospheric Fate: Ammonia reacts rapidly with available acids (mainly sulfuric, nitric, and sometimes hydrochloric acid) to form the corresponding salts. Ammonia is persistent in the air.

Aquatic Fate: Biodegrades rapidly to nitrate, producing a high oxygen demand. Non-persistent in water (half-life 2 days).

Ecotoxicity: Moderately toxic to fish under normal temperature and pH conditions and harmful to aquatic life at low concentrations. Does not concentrate in food chain. DO NOT discharge into sever or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	
Bioaccumulative potential			
Ingredient	Bioaccumulation		
	No Data available for all ingredients		
Mobility in soil			
Ingredient	Mobility		
	No Data available for all ingredients		

#### **SECTION 13 Disposal considerations**

Waste treatment methods	
Product / Packaging disposal	<ul> <li>For small quantities:</li> <li>Dissolve the material (in water or acid solution as appropriate) or convert it to a water soluble state with appropriate oxidising agent.</li> <li>Precipitate as the sulfide, adjusting the pH to neutral to complete the precipitation.</li> <li>Filter off sulfide solids for recovery or disposal to approved land-fill.</li> <li>Destroy excess sulfide in solution with, for example, sodium hypochlorite, neutralise, and flush to sewer (subject to local regulation).</li> <li>DO NOT allow wash water from cleaning or process equipment to enter drains.</li> <li>It may be necessary to collect all wash water for treatment before disposal.</li> <li>In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.</li> <li>Where in doubt contact the responsible authority.</li> <li>Recycle wherever possible or consult manufacturer for recycling options.</li> <li>Consult State Land Waste Management Authority for disposal.</li> <li>Bury residue in an authorised landfill.</li> <li>Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul>

Continued...

#### **SECTION 14 Transport information**

Labels Required			
Marine Pollutant	NO		
HAZCHEM	Not Applicable		

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
cerium(IV) ammonium sulfate	Not Available

## 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
cerium(IV) ammonium sulfate	Not Available

### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

cerium(IV) ammonium sulfate is found on the following regulatory lists Australian Inventory of Industrial Chemicals (AIIC)

## Additional Regulatory Information

Not Applicable

#### **National Inventory Status**

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	lo (cerium(IV) ammonium sulfate)		
Canada - NDSL	Yes		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	No (cerium(IV) ammonium sulfate)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (cerium(IV) ammonium sulfate)		
Vietnam - NCI	Yes		
Russia - FBEPH	No (cerium(IV) ammonium sulfate)		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

## **SECTION 16 Other information**

Revision Date	23/12/2022
Initial Date	22/07/2016

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
3.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
4.1	23/12/2022	Classification review due to GHS Revision change.

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit,
- IDLH: Immediately Dangerous to Life or Health Concentrations ۲
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value BCF: BioConcentration Factors
- BEI: Biological Exposure Index DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- ۲ DSL: Domestic Substances List

#### NDSL: Non-Domestic Substances List ٠

- ۶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances Þ
- NLP: No-Longer Polymers ٠
- ENCS: Existing and New Chemical Substances Inventory ÷.
- ۲ KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals Þ
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act ٠
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory ٠
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.