

ALPHA CHEMICALS PTY LTD

Chemwatch: 10092-1 Version No: 7.1

Chemwatch Hazard Alert Code: 2

Issue Date: 20/06/2022 Print Date: 14/07/2022

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Print Date: 14/07/2022 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	FERROUS SULPHATE MONOHYDRATE		
Chemical Name	rrous sulfate monohydrate		
Synonyms	eSO4. H2O; Fe-H2-O5-S; iron (II) sulphate; sulfuric acid, iron salt monohydrate; ferrous sulphate monohydrate; ferrous sulfate mono hydrate		
Chemical formula	Fe.H2O4S.xH2O Fe.H2O4S.H2O		
Other means of identification	Not Available		
CAS number	17375-41-6		

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	In manufacture of iron compounds, in electroplating baths, etching aluminium, process engraving and lithography. In fertiliser, as food and feed
	supplement; veterinary medicine. As reducing agent in chemical processes, in leather dyes, writing ink. component of weed killer; wood preservatives; water treatment. Used therapeutically as hematinic to combat iron deficiency and astringent. [~Regeant ~]
	preservatives, water treatment. Used therapeditically as hernatific to combat from deliciency and astimgent. [~negeant ~]

Details of the supplier of the safety data sheet

Registered company name	ALPHA CHEMICALS PTY LTD		
Address	4 ALLEN PLACE WETHERILL PARK NSW 2099 Australia		
Telephone	(0)2 9982 4622		
Fax	Not Available		
Website	~		
Email	I shane@alphachem.com.au		

Emergency telephone number

Association / Organisation	ALPHA CHEMICALS PTY LTD	CHEMWATCH EMERGENCY RESPONSE	
Emergency telephone numbers 61 (0)418 237 771		+61 1800 951 288	
Other emergency telephone numbers	Not Available	+61 3 9573 3188	

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings				
	Min	Max		
Flammability	0			
Toxicity	2		0 = Minimum	
Body Contact	2	1	1 = Low	
Reactivity	0		2 = Moderate	
Chronic	0	1	3 = High 4 = Extreme	

Poisons Schedule	Not Applicable	
Classification ^[1]	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A	
Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI		

Label elements

Hazard pictogram(s)	
Signal word	Warning

Hazard statement(s)

H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319 Causes serious eye irritation.		

Precautionary statement(s) Prevention

P264 Wash all exposed external body areas thoroughly after handling.		
P270 Do not eat, drink or smoke when using this product.		
P280 Wear protective gloves, protective clothing, eye protection and face protection.		

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P301+P312	P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician/first aider if you feel unwell.	
P302+P352	P302+P352 IF ON SKIN: Wash with plenty of water.	
P330	P330 Rinse mouth.	
P332+P313 If skin irritation occurs: Get medical advice/attention.		
P362+P364 Take off contaminated clothing and wash it before reuse.		

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

CAS No		%[weight]	Name
17375-41-6	3	>=98	Ferrous Sulphate Monohydrate
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L		

Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L, * EU IOELVs available

Mixtures

See section above for composition of Substances

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear breathing passages. Ask patient to rinse mouth with water but to not drink water. Seek immediate medical attention.
Ingestion	 IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY. For advice, contact a Poisons Information Centre or a doctor. Urgent hospital treatment is likely to be needed. In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition. If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist. If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS.

 Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise:

 INDUCE vomiting with fingers down the back of the throat, ONLY IF CONSCIOUS. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

 NOTE: Wear a protective glove when inducing vomiting by mechanical means.

 Indication of any immediate medical attention and special treatment needed

 For acute or short term repeated exposures to iron and its derivatives:

 Always treat symptoms rather than history.

- In general, however, toxic doses exceed 20 mg/kg of ingested material (as elemental iron) with lethal doses exceeding 180 mg/kg.
- Control of iron stores depend on variation in absorption rather than excretion. Absorption occurs through aspiration, ingestion and burned skin.
- Hepatic damage may progress to failure with hypoprothrombinaemia and hypoglycaemia. Hepatorenal syndrome may occur.
- Iron intoxication may also result in decreased cardiac output and increased cardiac pooling which subsequently produces hypotension.
- Serum iron should be analysed in symptomatic patients. Serum iron levels (2-4 hrs post-ingestion) greater that 100 ug/dL indicate poisoning with levels, in excess of 350 ug/dL, being potentially serious. Emesis or lavage (for obtunded patients with no gag reflex) are the usual means of decontamination.
- Activated charcoal does not effectively bind iron.
- Catharsis (using sodium sulfate or magnesium sulfate) may only be used if the patient already has diarrhoea.
- Deferoxamine is a specific chelator of ferric (3+) iron and is currently the antidote of choice. It should be administered parenterally. [Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

Fire Incompatibility

Extinguishing media

There is no restriction on the type of extinguisher which may be used.

None known.

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: sulfur oxides (SOx) metal oxides May emit poisonous fumes. May emit corrosive fumes.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.
Major Spills	 Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible. IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Precautions for safe handling

J	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	 Avoid storage with soluble carbonates. WARNING: Avoid or control reaction with peroxides. All <i>transition metal</i> peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively. The pi-complexes formed between chromium(0), vanadium(0) and other transition metals (haloarene-metal complexes) and mono-or poly-fluorobenzene show extreme sensitivity to heat and are explosive. Avoid reaction with borohydrides or cyanoborohydrides Avoid strong bases. Metals and their oxides or salts may react violently with chlorine trifluoride and bromine trifluoride. These trifluorides are hypergolic oxidisers. They ignite on contact (without external source of heat or ignition) with recognised fuels - contact with these materials, following an ambient or slightly elevated temperature, is often violent and may produce ignition. The state of subdivision may affect the results.

SECTION 8 Exposure controls / personal protection

Not Available

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Materi	al name	TWA	STEL		Peak	Notes
Australia Exposure Standards	Ferrous Sulphate Monohydrate	Iron sa	lts, soluble (as Fe)	1 mg/m3	Not Avai	lable	Not Available	Not Available
Emergency Limits								
Ingredient	TEEL-1		TEEL-2			TEEL-	3	
FERROUS SULPHATE MONOHYDRATE	Not Available		Not Available			Not Av	ailable	
Ingredient	Original IDLH			Revised ID	LH			

Not Available

Exposure controls

Ferrous Sulphate Monohydrate

posure controis	
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below

Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Suitability and durability of glove type is dependent on usage. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. • polychloroprene. • nitrile rubber. • butyl rubber. • butyl rubber. • polyvinyl chloride. Gloves should be examined for wear and/ or degradation constantly.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
 Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

• Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Greyish white to slightly yellow tinged powder; soluble CAS RN 7720-78-7 is ferrous sulfate anhydrous	e in water. No odour. CAS RN 13463-4	13-9 is dried ferrous sulfate or ferrous sulfate hydrate
Physical state	Divided Solid	Relative density (Water = 1)	> 1
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	> 300
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	171.936
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Non Volatile	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Nil @ 38 C.
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	<7

Vapour density (Air = 1) Not Applicable

VOC g/L Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce either adverse health e Directives using animal models). Nevertheless, adverse syste route and good hygiene practice requires that exposure be ke setting.	emic effects have been produced	following exposure of animals by at least one other
Ingestion	Ingestion of large quantities may cause nausea, vomiting, diar pressure and black stool. Pink discolouration of urine is a stro Accidental ingestion of the material may be harmful; animal ex produce serious damage to the health of the individual. Sulfates are not well absorbed orally, but can cause diarrhoea Iron poisoning results in pain in the upper abdomen and vomit toxicity increases in proportion to their solubility in the gastroir	ong indicator of iron poisoning. experiments indicate that ingestic ea. niting, and is followed hours later	on of less than 150 gram may be fatal or may
Skin Contact	This material can cause inflammation of the skin on contact in The material may accentuate any pre-existing dermatitis cond Entry into the blood-stream, through, for example, cuts, abras prior to the use of the material and ensure that any external da	dition isions or lesions, may produce sy	stemic injury with harmful effects. Examine the skin
Eye	This material can cause eye irritation and damage in some pe	persons.	
	Substance accumulation, in the human body, may occur and r Overexposure to the breathable dust may cause coughing, wh include decreased vital lung capacity and chest infections. Re	vheezing, difficulty in breathing a	nd impaired lung function. Chronic symptoms may
Chronic	a condition known as pneumoconiosis, which is the lodgemen when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortn As the disease progresses, the cough produces stringy phleg Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da over iron are at an increased risk.	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rcise, emphysema and rarely, pneumothorax (air in
	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phleg Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rcise, emphysema and rarely, pneumothorax (air in
Chronic Ferrous Sulphate Monohydrate	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phlegi Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da over iron are at an increased risk.	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth duced oxygen uptake during exe damage to the liver and pancreas	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rcise, emphysema and rarely, pneumothorax (air in
Ferrous Sulphate	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phlegr Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da over iron are at an increased risk. TOXICITY	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe damage to the liver and pancreas IRRITATION Not Available es - Acute toxicity 2.* Value obtain	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rcise, emphysema and rarely, pneumothorax (air in s. People with a genetic disposition to poor control
Ferrous Sulphate Monohydrate	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shorth As the disease progresses, the cough produces stringy phleg Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da over iron are at an increased risk. TOXICITY Oral (Rat) LD50; 319 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Substances	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe damage to the liver and pancreas IRRITATION Not Available es - Acute toxicity 2.* Value obtain	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rcise, emphysema and rarely, pneumothorax (air in s. People with a genetic disposition to poor control
Ferrous Sulphate Monohydrate Legend: FERROUS SULPHATE	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phlegr Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da over iron are at an increased risk. TOXICITY Oral (Rat) LD50; 319 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Substances specified data extracted from RTECS - Register of Toxic Effect	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe damage to the liver and pancreas IRRITATION Not Available es - Acute toxicity 2.* Value obtain	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rcise, emphysema and rarely, pneumothorax (air in s. People with a genetic disposition to poor control
Ferrous Sulphate Monohydrate <i>Legend:</i> FERROUS SULPHATE MONOHYDRATE	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phleg Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with da over iron are at an increased risk. TOXICITY Oral (Rat) LD50; 319 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Substances specified data extracted from RTECS - Register of Toxic Effect as CAS RN 7720-78-7 ferrous sulfate	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe damage to the liver and pancreas IRRITATION Not Available es - Acute toxicity 2.* Value obtain act of chemical Substances	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. her, and shortness of breath becomes more severe. rrcise, emphysema and rarely, pneumothorax (air in s. People with a genetic disposition to poor control hed from manufacturer's SDS. Unless otherwise
Ferrous Sulphate Monohydrate <i>Legend:</i> FERROUS SULPHATE MONOHYDRATE Acute Toxicity	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phleg Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with de over iron are at an increased risk. TOXICITY Oral (Rat) LD50; 319 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Substances specified data extracted from RTECS - Register of Toxic Effect as CAS RN 7720-78-7 ferrous sulfate	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe damage to the liver and pancreas IRRITATION Not Available es - Acute toxicity 2.* Value obtain act of chemical Substances	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. Her, and shortness of breath becomes more severe. Ircise, emphysema and rarely, pneumothorax (air in s. People with a genetic disposition to poor control med from manufacturer's SDS. Unless otherwise
Ferrous Sulphate Monohydrate <i>Legend:</i> FERROUS SULPHATE MONOHYDRATE Acute Toxicity Skin Irritation/Corrosion	when a significant number of particles less than 0.5 microns (pneumoconiosis may include a progressive dry cough, shortno As the disease progresses, the cough produces stringy phleg Other signs or symptoms include changed breath sounds, red the lung cavity). Chronic excessive intake of iron have been associated with de over iron are at an increased risk. TOXICITY Oral (Rat) LD50; 319 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Substances specified data extracted from RTECS - Register of Toxic Effect as CAS RN 7720-78-7 ferrous sulfate	(1/50000 inch) are present. Lung ness of breath on exertion, increa gm, vital capacity decreases furth educed oxygen uptake during exe damage to the liver and pancreas IRRITATION Not Available es - Acute toxicity 2.* Value obtain act of chemical Substances Carcinogenicity Reproductivity	shadows are seen in the X-ray. Symptoms of ased chest expansion, weakness and weight loss. ther, and shortness of breath becomes more severe. trcise, emphysema and rarely, pneumothorax (air in s. People with a genetic disposition to poor control the d from manufacturer's SDS. Unless otherwise X

SECTION 12 Ecological information

Toxicity

Ferrous Sulphate Monohydrate	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50(ECx)	48h	Crustacea	140.39-186.85mg/L	4
	EC50	48h	Crustacea	140.39-186.85mg/L	4
	LC50	96h	Fish	36.36-60.6mg/L	4

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

- Data available to make classification

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For Inorganic Sulfate:

Environmental Fate - Sulfates can produce a laxative effect at concentrations of 1000 - 1200 mg/liter, but no increase in diarrhea, dehydration or weight loss. The presence of sulfate in drinking-water can also result in a noticeable taste. Sulfate may also contribute to the corrosion of distribution systems. No health-based guideline value for sulfate in drinking water is proposed.

Atmospheric Fate: Sulfates are removed from the air by both dry and wet deposition processes. Wet deposition processes including rain-out (a process that occurs within the clouds) and washout (removal by precipitation below the clouds) which contribute to the removal of sulfate from the atmosphere.

Terrestrial Fate: Soil - In soil, the inorganic sulfates can adsorb to soil particles or leach into surface water and groundwater. Plants - Sodium sulfate is not very toxic to terrestrial plants however; sulfates can be taken up by plants and be incorporated into the parenchyma of the plant.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	
Bioaccumulative potential			
Ingredient	Bioaccumulation		
	No Data available for all ingredients		
Mobility in soil			
Ingredient	Mobility		
	No Data available for all ingredients		

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Conterwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sever may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 Transport information

Labels Required		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Ferrous Sulphate Monohydrate	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type

Product name	Ship Type
Ferrous Sulphate Monohydrate	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

Ferrous Sulphate Monohydrate is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 2 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 4

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	No (Ferrous Sulphate Monohydrate)	
Canada - NDSL	No (Ferrous Sulphate Monohydrate)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (Ferrous Sulphate Monohydrate)	
Japan - ENCS	Yes	
Korea - KECI	No (Ferrous Sulphate Monohydrate)	
New Zealand - NZIoC	Yes	
Philippines - PICCS	No (Ferrous Sulphate Monohydrate)	
USA - TSCA	No (Ferrous Sulphate Monohydrate)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (Ferrous Sulphate Monohydrate)	
Vietnam - NCI	Yes	
Russia - FBEPH	No (Ferrous Sulphate Monohydrate)	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	20/06/2022
Initial Date	28/03/2002

SDS Version Summary

Version	Date of Update	Sections Updated	
4.1	04/07/2007	Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Chronic Health, Classification, Disposal, Engineering Control, Environmental, Fire Fighter (extinguishing media), Fire Fighter (fire/explosion hazard), Fire Fighter (fire fighting), Fire Fighter (fire incompatibility), First Aid (swallowed), Handling Procedure, Personal Protection (other), Personal Protection (eye), Personal Protection (hands/feet), Physical Properties, Spills (major), Spills (minor), Storage (storage incompatibility), Storage (storage requirement), Storage (suitable container)	
7.1	20/06/2022	Expiration. Review and Update	

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIOC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.