

SODIUM FLUORIDE ALPHA CHEMICALS PTY LTD

Chemwatch: 1690-1 Version No: 5.1

Chemwatch Hazard Alert Code: 3

Issue Date: 23/12/2022

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Print Date: 24/01/2024 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	SODIUM FLUORIDE	
Chemical Name	Not Available	
Synonyms	NaF; FNa; Na-F; Sodium Fluoride Extra Pure Ph. Eur, BP, USP, Product code: 1.06441; disodium difluoride; fluoride, sodium; natrium fluoride; roach salt; sodium monofluoride; Villaumite; Fluorigard; Fluoritab; Gleem; Pennwhite; Luride-SF; Fluorocid; T-Fluoride; Chemifluor; Studafluor; Flursol; Minute-Gel; Fluorid sodny; SO-Flo; Karigel; Flozenges; Ossin; Thera-flur; Fungol B; Fluoraday; Duraphat; Super-dent; trisodium trifluoride; Credo; F1-Tabs; Nafeen; Flura-gel; Nufluor; Fluonatril; Villiaumite; Pediaflor; Iradicav; Rafluor; Rescue squad; Fluorineed; Na frinse; Flux; sodium fluorure; FDA 0101; sodium hydrofluoride; liquiflur; sodium fluoride AnalaR 10246; sodium fluoride	
Proper shipping name	SODIUM FLUORIDE, SOLID	
Chemical formula	F-Na FNa	
Other means of identification	Not Available	
CAS number	7681-49-4	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	As an insecticide, used in other pesticide formulations; a constituent of vitreous enamel and glass mixes; as a steel degreasing agent; in electroplating; in fluxes; in heat treating salt compositions. Used in the fluoridation of drinking water; manufacture of coated paper; frosting glass; in dental laboratories; in the removal of HF from exhaust gases to reduce air pollution. Also used as a disinfection for fermentation apparatus in breweries and distilleries.
--------------------------	---

Details of the manufacturer or supplier of the safety data sheet

Registered company name	ALPHA CHEMICALS PTY LTD	
Address	4 ALLEN PLACE WETHERILL PARK NSW 2164 Australia	
Telephone	61 (0)2 9982 4622	
Fax	Not Available	
Website	~	
Email	shane@alphachem.com.au	

Emergency telephone number

Association / Organisation	ALPHA CHEMICALS PTY LTD	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	61 (0)418 237 771	+61 1800 951 288
Other emergency telephone numbers	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Chemwatch Hazard Ratings

	Min	Max	
Flammability	0	1	
Toxicity	3		0 = Minimum
Body Contact	2	1	1 = Low
Reactivity	0		2 = Moderate
Chronic	1	1	3 = High 4 = Extreme

Poisons Schedule	S6
Classification ^[1]	Acute Toxicity (Oral) Category 3, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A

Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements Hazard pictogram(s)	
Signal word	Danger
Hazard statement(s)	Toxic if swallowed

H301	Toxic if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
AUH032	Contact with acid liberates very toxic gas.

Precautionary statement(s) Prevention

P264 Wash all exposed external body areas thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary statement(s) Response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.	
P330	Rinse mouth.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

P501

Substances

CAS No	%[weight]	Name
7681-49-4	>=98	sodium fluoride
Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L		

Legena: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from C&L;
 * EU IOELVs available

Mixtures

See section above for composition of Substances

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 	
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 	
Inhalation If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid proced Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mas Perform CPR if necessary. 		

	Transport to hospital, or doctor.
Ingestion	 IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY. For advice, contact a Poisons Information Centre or a doctor. Urgent hospital treatment is likely to be needed. In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition. If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist. If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS. Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise: INDUCE vomiting with fingers down the back of the throat, ONLY IF CONSCIOUS. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. NOTE: Wear a protective glove when inducing vomiting by mechanical means.

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to fluorides:

- Fluoride absorption from gastro-intestinal tract may be retarded by calcium salts, milk or antacids.
- Fluoride particulates or fume may be absorbed through the respiratory tract with 20-30% deposited at alveolar level.
- ▶ Peak serum levels are reached 30 mins. post-exposure; 50% appears in the urine within 24 hours.
- For acute poisoning (endotracheal intubation if inadequate tidal volume), monitor breathing and evaluate/monitor blood pressure and pulse frequently since shock may supervene with little warning. Monitor ECG immediately; watch for arrhythmias and evidence of Q-T prolongation or T-wave changes. Maintain monitor. Treat shock vigorously with isotonic saline (in 5% glucose) to restore blood volume and enhance renal excretion.
- Where evidence of hypocalcaemic or normocalcaemic tetany exists, calcium gluconate (10 ml of a 10% solution) is injected to avoid tachycardia.

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Determinant	Index	Sampling Time	Comments
Fluorides in urine	3 mg/gm creatinine	Prior to shift	B, NS
	10mg/gm creatinine	End of shift	B, NS

B: Background levels occur in specimens collected from subjects **NOT** exposed

NS: Non-specific determinant; also observed after exposure to other exposures.

SECTION 5 Firefighting measures

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

Advice for firefighters

Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: hydrogen fluoride metal oxides May emit poisonous fumes.
HAZCHEM	22

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.
Major Spills	Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. No smoking, naked lights or ignition sources. Increase ventilation. Stop leak if safe to do so. Water spray or fog may be used to disperse / absorb vapour.

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.
Conditions for safe storage, in	cluding any incompatibilities
	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Polyliner drum. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.

- Check all containers are clearly labelled and free from leaks.
- For low viscosity materials
 - Drums and jerricans must be of the non-removable head type.
 - Where a can is to be used as an inner package, the can must have a screwed enclosure.
 - For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.):
 - Removable head packaging;
- Suitable container Cans with friction closures and
 - Iow pressure tubes and cartridges
 - may be used.

Where combination packages are used, and the inner packages are of glass, there must be sufficient inert cushioning material in contact with inner and outer packages *.

In addition, where inner packagings are glass and contain liquids of packing group I and II there must be sufficient inert absorbent to absorb any spillage *

* unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.

- Salts of inorganic fluoride:
- react with water forming acidic solutions. • are violent reactive with boron, bromine pentafluoride, bromine trifluoride, calcium disilicide, calcium hydride, oxygen difluoride, platinum,
- potassium. • in aqueous solutions are incompatible with sulfuric acid, alkalis, ammonia, aliphatic amines, alkanolamines, alkylene oxides, amides,
- epichlorohydrin, isocyanates, nitromethane, organic anhydrides, vinyl acetate.
- corrode metals in presence of moisture
- may be incompatible with glass and porcelain
- Sodium fluoride: Storage incompatibility
 - + aqueous solutions attack glass and react violently with xenon hexafluoride; are incompatible with sulfuric acid, caustics, ammonia, aliphatic amines, alkanolamines, amides, organic anhydrides, isocyanates, vinyl acetate, alkylene oxides, epichlorohydrin
 - reacts with acids forming hydrogen fluoride
 - Contact with acids produces toxic fumes
 - Metals and their oxides or salts may react violently with chlorine trifluoride and bromine trifluoride.
 - These trifluorides are hypergolic oxidisers. They ignite on contact (without external source of heat or ignition) with recognised fuels contact
 - with these materials, following an ambient or slightly elevated temperature, is often violent and may produce ignition.
 - The state of subdivision may affect the results. Avoid strong bases.

SECTION 8 Exposure controls / personal protection

Control parameters

INGREDIENT DATA

STEL

TWA

Notes

Peak

Source	Ingredient	Material name		TWA	STEL		Peak	Notes
Australia Exposure Standards	sodium fluoride	Fluorides (as F)		2.5 mg/m3	Not Available		Not Available	Not Available
Emergency Limits								
Ingredient	TEEL-1	TEEL-2		TEEL-3		-3		
sodium fluoride	17 mg/m3	90 mg/m3		13	1,100 mg/m3		mg/m3	
Ingredient Original IDLH Revised IDLH								
sodium fluoride	250 mg/m3	1			Not Available			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. Local exhaust ventilation usually required.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Suitability and durability of glove type is dependent on usage.
Body protection	See Other protection below
Other protection	 Overalls. Eyewash unit. Barrier cream. Skin cleansing cream.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computer-

generated selection:

SODIUM FLUORIDE

Material	CPI
NATURAL RUBBER	A
NEOPRENE	A
NITRILE	А
PVC	А

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

 \cdot Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

 The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment Page 6 of 11

SODIUM FLUORIDE

Glove — In order of recommendation
AlphaTec 02-100
AlphaTec® 15-554
AlphaTec® Solvex® 37-185
AlphaTec® 38-612
AlphaTec® 58-008
AlphaTec® 58-530B
AlphaTec® 58-530W
AlphaTec® 58-735
AlphaTec® 79-700
AlphaTec® Solvex® 37-675

(powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

 Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

 \cdot Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

Use approved positive flow mask if significant quantities of dust becomes airborne.
 Try to avoid creating dust conditions.

The suggested gloves for use should be confirmed with the glove supplier.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance White, odourless powder or crystals. Soluble in water, very slightly soluble in alcohol. May also be available as blue tinted crystals.

Physical state	Divided Solid	Relative density (Water = 1)	2.56-2.79
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Applicable
Melting point / freezing point (°C)	988	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	1695	Molecular weight (g/mol)	42.0
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	0.13 @ 1077 C	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	7.4 (saturated)
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7	
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. 	
Possibility of hazardous reactions	See section 7	
Conditions to avoid	See section 7	
Incompatible materials	See section 7	
Hazardous decomposition products	See section 5	

SECTION 11 Toxicological information

Information on toxicological effects

	Breathing high concentrations of dust may result in nausea, vomiting, abdominal pain, stupor. Severe inhalation exposure may result in tremors, convulsions, collapse, respiratory and cardiac failure even death. Inhalation of dusts, generated by the material during the course of normal handling, may be damaging to the health of the individual. There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.
Inhaled	Acute effects of fluoride inhalation include irritation of nose and throat, coughing and chest discomfort. A single acute over-exposure may even cause nose bleed. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability
	if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.

Ingestion may require excessive solution, natures, vorming, Dates of 25:50 mg for dath may cause severe vorming, dambaan and central in Track effects may require from the acadential system of the material, simula experiments indicate that registerion of tess than 40 gram may be table for a which we have been acadential system of the material. Ingestion may require service solution in the blood, with synthems aspecting several hours tate including pairla and right material contractions of the material. Dates may he highly concretive to the sign and rightly and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly miting tables. Dates may he highly concretive to the sign and rightly and rightly and rightly and rightly miting tables. Dates may her highly concretive to the sign and rightly and rightly miting tables. Dates may her highly concretive to the sign and rightly and righ					
Inflammation of the skin on contact in some person. Inflammation of the skin on contact in some person. Skin Contact Phomatelial may accurate any proceeding demandation of the individual systemic effects may result following absorption. Skin Contact Shin contact with the material may damage the health of the individual systemic effects may result following absorption. Specific Open cuts, strated of initiated skin should not be exposed to this material initiation. Moderate inflammation is some persons and produce eye inflammation. may be material and ensure that any external damage is sultably proteine systemic inflammation. Moderate inflammation may be expected with redness; conjunctivitis may occur with prolonged exposure. Them has habe material and ensure that any external damage is sultably proteine but hore is not enough data to make an assessment. Substance accurate high material can cause concore contating the material can cause concore contating the material can cause is four sings of pion tap and atfittees. There may also be frequent vision on thirds. Chronic ToxicTY Inflammation in the lung. Secture function ToxicTY Inflammation in the lung. Secture function ToxicTY Inflammation in the lung. Soutien of material and ensure function Respected with redness in the noncertain secture base of provide sector material end sector end end secto end end sector end end sector end end sector end end	Ingestion	nervous disturbances, [VWR]. Less than 1 gram may be fatal for adult Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual. Fluoride causes severe loss of calcium in the blood, with symptoms appearing several hours later including painful and rigid muscle contractions of the limbs. Cardiovascular collapse can occur and may cause death with increased heart rate and other heart rhythm irregularities.			
Image be expected with redness; conjunctivitis may occur with protonged exposure. Image be expected with redness; conjunctivitis may occur with protonged exposure. Substance accumulation, in the human body, may occur and may	Skin Contact	inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Open cuts, abraded or irritated skin should not be exposed to this material Solution of material in moisture on the skin, or perspiration, may markedly increase skin corrosion and accelerate tissue destruction Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin			
Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Chronic Chronic Restricted exposure to inorganic fluorides causes fluorosis, which includes signs of joint pain and stiffness, tooth discoluration, nause and n. Sodium fluoride TOXICITY IRRITATION demail (rat) LD50: >2000 mg/kg ^[1] Eye (rabbit): 20 mg/24h-moderate demail (rat) LD50: >25<2000 mg/kg ^[1] Eye (rabbit): 20 mg/24h-moderate Legent 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise exposure to high dust concentrations of months of substances Sodium fluoridi The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to highly initiating compound. Main criteria for diagnosis of RADS include a reversible and the lack of nimibal substances in a non-allergic condition have and substances in a non-allergic condition have and substances of previous alives and substances in a non-allergic condition have and substances in a non-allergic condition have as a free exposure to highly initiating compound. Main criteria for diagnosis of RADS include a substance of previous alives and and indust and previous alives and and indust as a previous and and indust as a previous and and indust as a previous and and indust and previous and and indust as a previous and and indust as a previous and and indust as a previous and and indust and previous and previous and previous and previous and previns and prev	Eye			urs or more after instillation. Moderate inflammation	
sodium fluoride dermal (rat) LD50: >2000 mg/kg ^[1] Eye (rabbit): 20 mg/24h-moderate Oral (Rat) LD50: >25<-2000 mg/kg ^[1] ever for the state of the state state of the state of the state state of the state o	Chronic	There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Extended exposure to inorganic fluorides causes fluorosis, which includes signs of joint pain and stiffness, tooth discolouration, nausea and vomiting, loss of appetite, diarrhoea or constipation, weight loss, anaemia, weakness and general unwellness. There may also be frequent urination and thirst. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5			
sodium fluoride dermal (rat) LD50: >2000 mg/kg ^[1] Eye (rabbit): 20 mg/24h-moderate Oral (Rat) LD50: >25<-2000 mg/kg ^[1] ever for the state of the state state of the state of the state state of the state o					
Oral (Rat) LD50: >25<2000 mg/kg ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Substance The material may produce moderate eye irritation leading to inflammation. Repeated or protonged exposure to irritants may produce conjunctivitis. Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition knows are scature airways dysfunction syndrome (RDS) which can occur after exposure to the levels of highly irritating compound. Main asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosin of RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritating inhalation is an infrequent disorder with rates related to finiting substance. On the other hand, industrial bronchilis is a disorder that accurs as a result of exposure to the irritating substance. On the other hand, industrial bronchilis is a disorder that accurs as a result of exposure to the irritating substance. On the other hand, industrial bronchilis is a disorder that accurs as a result of exposure to the irritating substance. On the other hand, industrial bronchilis is a disorder that accurs as a result of exposure to the irritating substance. On the other hand, industrial bronchilis is a disorder that accurs as a result of exposure to the irritating substance. On the other hand, industrial bronchilis is a disorder that accurs as a result of exposure to the irritating substance. On the other hand, industrial bronchilis is a disorder that accurs as	andium fluorida			0 mg/24h-moderate	
specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracted from RTECS - Register of Toxic Effect of chemical Substances specified data extracter from RTECS - Register of Toxic Effect of chemical Substances specified data extracter from RTECS - Register of Toxic Presside Affect of RDS specified data extracter from RTECS - Register of Toxic Press affer exposure to high levels of highly irritating compound. Main criteria for diagnosities of RADS include a reversible affer exposure to high ritating compound specified to a course of RADS include a reversible affer exposure due to high concentrations of irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of	soulum nuonae				
conjunctivitis.Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophila. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchiti is a disorder that occurs as a result of exposure due to high concentrations of irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high levels of carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.KStin Irritation/CorrosionKSerious Eye Damage/IrritationStoot Stin ExposureKStoot - Repeated Exposure<	Legend:		-	tained from manufacturer's SDS. Unless otherwise	
Skin Irritation/Corrosion Image: Skin Irritation / Corrosion Image: Skin Irritation Image: Skin Irritation <t< td=""><th>SODIUM FLUORIDE</th><td colspan="3">conjunctivitis. Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.</td></t<>	SODIUM FLUORIDE	conjunctivitis. Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.			
Skin Irritation/Corrosion Image: Skin Irritation / Corrosion Image: Skin Irritation Image: Skin Irritation <t< th=""><th>Aquita Tavicity</th><th>9</th><th>Cominacaniai</th><th>hr ¥</th></t<>	Aquita Tavicity	9	Cominacaniai	hr ¥	
Serious Eye Damage/Irritation Image: Comparison of the series of the	•			•	
Respiratory or Skin sensitisation X STOT - Repeated Exposure X			•	•	
	Respiratory or Skin				
		X Assistion Harard			

Legend: 🗙 – Da

Data either not available or does not fill the criteria for classification
 Data available to make classification

SECTION 12 Ecological information

	Test Duration (hr)	Species	Value	Sourc
BCF	672h	Fish	<0.66	7
EC50	72h	Algae or other aquatic plants	>121.8mg/L	4
EC50	48h	Crustacea	36.2mg/L	5
EC50	96h	Algae or other aquatic plants	43mg/l	2
LC50	96h	Fish	38-68mg/l	4
NOEC(ECx)	2160h	Fish	3.1mg/l	4
Extracted from 1	. IUCLID Toxicity Data 2. Europe EC	CHA Registered Substances - Ecotoxicological Informati	on - Aquatic Toxicity 4. U	IS EPA.
	EC50 EC50 EC50 LC50 NOEC(ECx)	EC50 72h EC50 48h EC50 96h LC50 96h NOEC(ECx) 2160h	EC5072hAlgae or other aquatic plantsEC5048hCrustaceaEC5096hAlgae or other aquatic plantsLC5096hFishNOEC(ECx)2160hFish	EC5072hAlgae or other aquatic plants>121.8mg/LEC5048hCrustacea36.2mg/LEC5096hAlgae or other aquatic plants43mg/lLC5096hFish38-68mg/l

Invertebrate: LC50 (48 h): 1987 ppm

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis. Fluorides are absorbed by humans following inhalation of workplace and ambient air that has been contaminated, ingestion of drinking water and foods and dermal contact. Populations living in areas with high fluoride levels in groundwater may be exposed to higher levels of fluorides in their drinking water or in beverages prepared with the water. Among these populations, outdoor

labourers, people living in hot climates, and people with excessive thirst will generally have the greatest daily intake of fluorides because they consume greater amounts of water. Atmospheric Fate: Both hydrogen fluoride and particulate fluorides will be transported in the atmosphere and deposited on land or water by wet and dry deposition. Non-volatile inorganic fluoride particulates are removed from the atmosphere via condensation or nucleation processes. Fluorides adsorbed on particulate matter in the atmosphere are generally stable and are not readily hydrolyzed, although they may be degraded by radiation if they persist in the atmosphere. Fluorine and the silicon fluorides (fluosilicates, silicofluorides) are hydrolyzed in the atmosphere to form hydrogen fluoride. Do NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
sodium fluoride	LOW	LOW	
Bioaccumulative potential			
Ingredient	Bioaccumulation		
sodium fluoride	LOW (BCF = 6.4)		
Mobility in soil			
Ingredient	Mobility		
sodium fluoride	LOW (KOC = 14.3)		

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, creatin wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. DO Tallow wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. Add exc

SECTION 14 Transport information

Labels Required

	6
Marine Pollutant	NO
HAZCHEM	2Z
HAZCHEM	22

Land transport (ADG)

Land transport (ADG)			
14.1. UN number or ID number	1690		
14.2. UN proper shipping name	SODIUM FLUORIDE, SOLID		
14.3. Transport hazard class(es)	Class Subsidiary Hazard	6.1 Not Applicable	
14.4. Packing group	Ш		

14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Special provisions	Not Applicable	
	Limited quantity	5 kg	
Air transport (ICAO-IATA / DGR)			

14.1. UN number	1690			
14.2. UN proper shipping name	Sodium fluoride, solid			
14.3. Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subsidiary Hazard ERG Code	6.1 Not Applicable 6L		
14.4. Packing group	Ш			
14.5. Environmental hazard	Not Applicable			
	Special provisions Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack		200 kg	
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		670	
u391	Passenger and Cargo Maximum Qty / Pack		100 kg	
	Passenger and Cargo Limited Quantity Packing Instructions		Y645	
	Passenger and Cargo Limited Maximum Qty / Pack		10 kg	

Sea transport (IMDG-Code / GGVSee)

14.1. UN number	1690		
14.2. UN proper shipping name	SODIUM FLUORIDE, SOLID		
14.3. Transport hazard class(es)	IMDG Class6.1IMDG Subsidiary HazardNot Applicable		
14.4. Packing group	II		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	F-A , S-A Not Applicable 5 kg	

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium fluoride	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name Ship	hip Type
sodium fluoride Not	ot Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium fluoride is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 2 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 3 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

Additional Regulatory Information

Continued...

Not Applicable

National Inventory Status

National Inventory	Status			
Australia - AIIC / Australia Non-Industrial Use	Yes			
Canada - DSL	Yes			
Canada - NDSL	No (sodium fluoride)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	Yes			
Japan - ENCS	Yes			
Korea - KECI	Yes			
New Zealand - NZIoC	Yes			
Philippines - PICCS	Yes			
USA - TSCA	Yes			
Taiwan - TCSI	Yes			
Mexico - INSQ	Yes			
Vietnam - NCI	Yes			
Russia - FBEPH	Yes			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.			

SECTION 16 Other information

Revision Date	23/12/2022
Initial Date	27/10/2006

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	24/12/2009	Toxicological information - Acute Health (skin), First Aid measures - Advice to Doctor, Identification of the substance / mixture and of the company / undertaking - Supplier Information
5.1	23/12/2022	Classification review due to GHS Revision change.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- ► IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- + ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas

- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.