

# Stabiliser AC-812 ALPHA CHEMICALS PTY LTD

Chemwatch: **49213** Version No: **5.1.20.11** 

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Chemwatch Hazard Alert Code: 1

Issue Date: **01/11/2019** Print Date: **29/09/2021** S.GHS.AUS.EN

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier            |                   |  |
|-------------------------------|-------------------|--|
| Product name                  | Stabiliser AC-812 |  |
| Chemical Name                 | Not Applicable    |  |
| Synonyms                      | stabiliser B.K812 |  |
| Chemical formula              | Not Applicable    |  |
| Other means of identification | Not Available     |  |

### Relevant identified uses of the substance or mixture and uses advised against

# Details of the supplier of the safety data sheet

| Registered company name | ALPHA CHEMICALS PTY LTD                         |
|-------------------------|---|
| Address                 | 4 ALLEN PLACE WETHERILL PARK NSW 2099 Australia |
| Telephone               | 61 (0)2 9982 4622                               |
| Fax                     | Not Available                                   |
| Website                 | ~   |
| Email                   | shane@alphachem.com.au                          |

# Emergency telephone number

| Association / Organisation        | ALPHA CHEMICALS PTY LTD |
|-----------------------------------|-------------------------|
| Emergency telephone numbers       | 61 (0)418 237 771       |
| Other emergency telephone numbers | Not Available           |

### **SECTION 2 Hazards identification**

# Classification of the substance or mixture

# HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

# ChemWatch Hazard Ratings

|              | Min | Max |                         |
|--------------|-----|-----|-------------------------|
| Flammability | 0   |     |                         |
| Toxicity     | 1   |     | 0 = Minimum             |
| Body Contact | 1   |     | 1 = Low                 |
| Reactivity   | 0   |     | 2 = Moderate            |
| Chronic      | 0   |     | 3 = High<br>4 = Extreme |

| Poisons Schedule   | Not Applicable  |
|--------------------|---|
| Classification [1] | Serious Eye Damage/Eye Irritation Category 2B   |
| Legend:            | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI |

# Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word         | Warning        |

Issue Date: **01/11/2019**Print Date: **29/09/2021** 

| H320   | Causes eye irritation.   |  |  |
|--|--|--|--|
|  |  |  |  |
| Precautionary statement(s) Prevention                                |  |  |  |
| P264 Wash all exposed external body areas thoroughly after handling. |  |  |  |
|  |  |  |  |
| Precautionary statement(s) Response                                  |  |  |  |
| P305+P351+P338   | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |  |  |
| P337+P313  | If eye irritation persists: Get medical advice/attention.  |  |  |

# Precautionary statement(s) Storage

Not Applicable

### Precautionary statement(s) Disposal

Not Applicable

# **SECTION 3 Composition / information on ingredients**

### Substances

See section below for composition of Mixtures

### Mixtures

| CAS No        | %[weight]   | Name                   |
|---------------|---|------------------------|
| Not Available | 4-15  | polybasic acid         |
| Not Available | 1-5   | other salts            |
| Not Available | 10-30   | acidulant additive     |
| 7732-18-5     | >60   | <u>Distilled Water</u> |
| Legend:       | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available |                        |

# **SECTION 4 First aid measures**

| Description o | f first aid | measures |
|---------------|-------------|----------|
|---------------|-------------|----------|

| Eye Contact  | <ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>                               |
|--------------|---|
| Skin Contact | If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.   |
| Inhalation   | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>   |
| Ingestion    | <ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul> |

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Firefighting measures**

# Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

### Special hazards arising from the substrate or mixture

| <u> </u>                |  |  |
|-------------------------|--|--|
| Fire Incompatibility    | None known.  |  |
|                         |  |  |
| Advice for firefighters |  |  |
|                         | ► Alert Fire Brigade and tell them location and nature of hazard.                |  |
|                         | Wear breathing apparatus plus protective gloves in the event of a fire.          |  |
|                         | Prevent, by any means available, spillage from entering drains or water courses. |  |
| Fire Fighting           | Use fire fighting procedures suitable for surrounding area.                      |  |
|                         | ▶ DO NOT approach containers suspected to be hot.                                |  |
|                         | ► Cool fire exposed containers with water spray from a protected location.       |  |

If safe to do so, remove containers from path of fire.
 Equipment should be thoroughly decontaminated after use.

Issue Date: **01/11/2019**Print Date: **29/09/2021** 

| Fire/Explosion Hazard | <ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul> |
|-----------------------|--|
| HAZCHEM               | Not Applicable   |

### **SECTION 6 Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

See section 8

# **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

| 3.7          |  |
|--------------|--|
| Minor Spills | <ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>Wipe up.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul>                             |
| Major Spills | Moderate hazard.  Clear area of personnel and move upwind.  Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves.  Prevent, by any means available, spillage from entering drains or water course.  Stop leak if safe to do so.  Contain spill with sand, earth or vermiculite.  Collect recoverable product into labelled containers for recycling. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

| Precautions for safe handling |  |
|-------------------------------|--|
| Safe handling                 | <ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> <li>DO NOT enter confined spaces until atmosphere has been checked.</li> <li>DO NOT allow material to contact humans, exposed food or food utensils.</li> <li>Avoid contact with incompatible materials.</li> <li>When handling, DO NOT eat, drink or smoke.</li> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> </ul> |
| Other information             | <ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>   |

# Conditions for safe storage, including any incompatibilities

| Suitable container      | <ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul> |
|-------------------------|---|
| Storage incompatibility | None known  |

# SECTION 8 Exposure controls / personal protection

# Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

### **Emergency Limits**

| Ingredient               | TEEL-1        | TEEL-2        |               | TEEL-3        |
|--------------------------|---------------|---------------|---------------|---------------|
| Stabiliser AC-812        | Not Available | Not Available |               | Not Available |
| Ingredient Original IDLH |               | Revised IDLH  |               |               |
| Distilled Water          | Not Available |               | Not Available |               |

# **Exposure controls**

| Appropriate e | ngineering |
|---------------|------------|
|               | controls   |

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Issue Date: **01/11/2019**Print Date: **29/09/2021** 

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions

### Personal protection









# Eve and face protection

Safety glasses with side shields.

Chemical goggles.
 Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in

remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.

#### Skin protection

#### See Hand protection below

- ▶ Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

# Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Suitability and durability of glove type is dependent on usage.

#### **Body protection**

### See Other protection below

# Other protection

- Overalls.
- P.V.C apron.Barrier cream.
- Skin cleansing cream
- ▶ Eye wash unit.

### Recommended material(s)

### **GLOVE SELECTION INDEX**

Glove selection is based on a modified presentation of the:

### "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computer-generated selection:

Stabiliser AC-812

| Material       | СРІ |
|----------------|-----|
| BUTYL          | A   |
| NEOPRENE       | A   |
| VITON          | A   |
| NATURAL RUBBER | С   |
| PVA            | С   |

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

# **SECTION 9 Physical and chemical properties**

### Information on basic physical and chemical properties

| Appearance                                   | Clear colourless liquid. Faint odour, (usually a smell of sulphur dioxide). Miscible with water. |   |                |
|--|--|---|----------------|
| Physical state                               | Liquid   | Relative density (Water = 1)            | 1.22           |
| Filysical state                              | Еідиій   |   | 1.22           |
| Odour  | Not Available  | Partition coefficient n-octanol / water | Not Available  |
| Odour threshold                              | Not Available  | Auto-ignition temperature (°C)          | Not Available  |
| pH (as supplied)                             | 2-3  | Decomposition temperature               | >300           |
| Melting point / freezing point (°C)          | Not Available  | Viscosity (cSt)                         | Not Available  |
| Initial boiling point and boiling range (°C) | Not Available  | Molecular weight (g/mol)                | Not Applicable |

Issue Date: 01/11/2019 Print Date: 29/09/2021

| Flash point (°C)          | Not Applicable | Taste                            | Not Available |
|---------------------------|----------------|----------------------------------|---------------|
| Evaporation rate          | Not Available  | Explosive properties             | Not Available |
| Flammability              | Not Applicable | Oxidising properties             | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol)        | Not Available |
| Vapour pressure (kPa)     | Not Available  | Gas group                        | Not Available |
| Solubility in water       | Miscible       | pH as a solution (%)             | Not Available |
| Vapour density (Air = 1)  | Not Available  | VOC g/L                          | Not Available |

# **SECTION 10 Stability and reactivity**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

# **SECTION 11 Toxicological information**

# Information on toxicological effects

| Inhaled      | There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.  Not normally a hazard due to non-volatile nature of product |
|--------------|--|
| Ingestion    | Accidental ingestion of the material may be damaging to the health of the individual.  |
| Skin Contact | There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.  Open cuts, abraded or irritated skin should not be exposed to this material   |
| Eye          | There is some evidence to suggest that this material can cause eye irritation and damage in some persons.  |
| Chronic      | Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.   |

| Stabiliser AC-812 | TOXICITY   | IRRITATION    |
|-------------------|--|---------------|
|                   | Not Available  | Not Available |
|                   | TOXICITY   | IRRITATION    |
| Distilled Water   | Oral(Rat) LD50; >90000 mg/kg <sup>[2]</sup> Not Available  |               |
| Legend:           | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances. |               |

Stabiliser AC-812 & No significant acute toxicological data identified in literature search.

| Acute Toxicity                       | × | Carcinogenicity          | × |
|--------------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion            | X | Reproductivity           | × |
| Serious Eye Damage/Irritation        | ✓ | STOT - Single Exposure   | × |
| Respiratory or Skin<br>sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity                         | × | Aspiration Hazard        | × |

Legend:

X − Data either not available or does not fill the criteria for classification

– Data available to make classification

# **SECTION 12 Ecological information**

# Toxicity

| TOXICITY          |                  |                    |               |                  |                  |
|-------------------|------------------|--------------------|---------------|------------------|------------------|
| Stabiliser AC-812 | Endpoint         | Test Duration (hr) | Species       | Value            | Source           |
|                   | Not<br>Available | Not Available      | Not Available | Not<br>Available | Not<br>Available |
|                   | Endpoint         | Test Duration (hr) | Species       | Value            | Source           |
| Distilled Water   | Not<br>Available | Not Available      | Not Available | Not<br>Available | Not<br>Available |

Issue Date: **01/11/2019**Print Date: **29/09/2021** 

#### Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

#### DO NOT discharge into sewer or waterways

### Persistence and degradability

| Ingredient      | Persistence: Water/Soil | Persistence: Air |
|-----------------|-------------------------|------------------|
| Distilled Water | LOW                     | LOW              |

### **Bioaccumulative potential**

| Ingredient | Bioaccumulation                       |  |
|------------|---------------------------------------|--|
|            | No Data available for all ingredients |  |

### Mobility in soil

| Ingredient | Mobility                              |  |
|------------|---------------------------------------|--|
|            | No Data available for all ingredients |  |

### **SECTION 13 Disposal considerations**

### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate

- Reduction
- Reuse
- ▶ Recycling
- ► Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

### Product / Packaging disposal

- **DO NOT** allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- ► Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

# **SECTION 14 Transport information**

# Labels Required

| Eubero required  |                |  |
|------------------|----------------|--|
| Marine Pollutant | NO             |  |
| HAZCHEM          | Not Applicable |  |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name    | Group         |
|-----------------|---------------|
| Distilled Water | Not Available |

# Transport in bulk in accordance with the ICG Code

| Product name    | Ship Type     |
|-----------------|---------------|
| Distilled Water | Not Available |

### **SECTION 15 Regulatory information**

Safety, health and environmental regulations / legislation specific for the substance or mixture

Distilled Water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

Issue Date: 01/11/2019 Print Date: 29/09/2021

| National Inventory                                 | Status   |  |
|--|--|--|
| Australia - AIIC / Australia<br>Non-Industrial Use | Yes  |  |
| Canada - DSL                                       | Yes  |  |
| Canada - NDSL                                      | No (Distilled Water)   |  |
| China - IECSC                                      | Yes  |  |
| Europe - EINEC / ELINCS / NLP                      | Yes  |  |
| Japan - ENCS                                       | Yes  |  |
| Korea - KECI                                       | Yes  |  |
| New Zealand - NZIoC                                | Yes  |  |
| Philippines - PICCS                                | Yes  |  |
| USA - TSCA   | Yes  |  |
| Taiwan - TCSI                                      | Yes  |  |
| Mexico - INSQ                                      | Yes  |  |
| Vietnam - NCI                                      | Yes  |  |
| Russia - FBEPH                                     | Yes  |  |
| Legend:  | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |  |

# **SECTION 16 Other information**

| Revision Date | 01/11/2019 |
|---------------|------------|
| Initial Date  | 02/08/2001 |

# **SDS Version Summary**

| Version   | Date of<br>Update | Sections Updated   |
|-----------|-------------------|--|
| 4.1.1.1   | 05/09/2018        | Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Chronic Health, Classification, Disposal, Engineering Control, Environmental, Exposure Standard, Fire Fighter (extinguishing media), Fire Fighter (fire/explosion hazard), Fire Fighter (fire fighting), Fire Fighter (fire incompatibility), First Aid (eye), First Aid (inhaled), First Aid (swallowed), Handling Procedure, Personal Protection (other), Personal Protection (eye), Personal Protection (hands/feet), Physical Properties, Spills (major), Storage (storage incompatibility), Storage (storage requirement), Storage (suitable container), Toxicity and Irritation (Other) |
| 5.1.1.1   | 01/11/2019        | One-off system update. NOTE: This may or may not change the GHS classification   |
| 5.1.2.1   | 26/04/2021        | Regulation Change  |
| 5.1.3.1   | 03/05/2021        | Regulation Change  |
| 5.1.4.1   | 06/05/2021        | Regulation Change  |
| 5.1.5.1   | 10/05/2021        | Regulation Change  |
| 5.1.5.2   | 30/05/2021        | Template Change  |
| 5.1.5.3   | 04/06/2021        | Template Change  |
| 5.1.5.4   | 05/06/2021        | Template Change  |
| 5.1.6.4   | 07/06/2021        | Regulation Change  |
| 5.1.6.5   | 09/06/2021        | Template Change  |
| 5.1.6.6   | 11/06/2021        | Template Change  |
| 5.1.6.7   | 15/06/2021        | Template Change  |
| 5.1.7.7   | 17/06/2021        | Regulation Change  |
| 5.1.8.7   | 21/06/2021        | Regulation Change  |
| 5.1.8.8   | 05/07/2021        | Template Change  |
| 5.1.9.8   | 14/07/2021        | Regulation Change  |
| 5.1.10.8  | 19/07/2021        | Regulation Change  |
| 5.1.10.9  | 01/08/2021        | Template Change  |
| 5.1.11.9  | 02/08/2021        | Regulation Change  |
| 5.1.12.9  | 05/08/2021        | Regulation Change  |
| 5.1.13.9  | 09/08/2021        | Regulation Change  |
| 5.1.14.9  | 23/08/2021        | Regulation Change  |
| 5.1.15.9  | 26/08/2021        | Regulation Change  |
| 5.1.15.10 | 29/08/2021        | Template Change  |
| 5.1.16.10 | 30/08/2021        | Regulation Change  |
| 5.1.17.10 | 06/09/2021        | Regulation Change  |
| 5.1.17.11 | 16/09/2021        | Template Change  |
| 5.1.18.11 | 16/09/2021        | Regulation Change  |
| 5.1.19.11 | 23/09/2021        | Regulation Change  |
| 5.1.20.11 | 27/09/2021        | Regulation Change  |

Page 8 of 8 Issue Date: 01/11/2019 Print Date: 29/09/2021

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.