



CONSOLIDATED CHEMICAL CO.

ACN 005 056 502

52-62 Waterview Close, DANDENONG SOUTH, 3175
P.O. BOX 4415, DANDENONG SOUTH, 3164, VIC., AUSTRALIA
PHONE (03) 9799 7555 FAX (03) 9799 7666
E-mail: sales@conchem.com.au
Website: www.consolidatedchem.com

Order No.: M 87887

CERTIFICATE OF ANALYSIS

PRODUCT: DIETHYL THIOUREA

BATCH NUMBER: 204024 & 204025

Manufacturing date: 13/05/2022

Expiry Date: 13/05/2024

Lot No.	Melting point	Heating loss	Ash
204024	77.5 – 79.5°C	0.03%	0.01%
204025	77.0 - 79.5°C	0.04%	0.01%

The content of the Certificate of Analysis is produced by Consolidated Chemical Co. from information provided by the manufacturer/supplier of the chemical. Whilst Consolidated Chemical Co. takes care in compilation of the information in the Certificate of Analysis, Consolidated Chemical Co. does not warrant the accuracy of the information and the customer must satisfy itself as to the suitability of the goods for the customer's purpose.

OFFICES IN SYDNEY, ADELAIDE, PERTH, BRISBANE, AUCKLAND