

Sanodure Grey NL Liquid ALPHA CHEMICALS PTY LTD

Chemwatch Hazard Alert Code: 2

Chemwatch: 4879-33

Version No: 6.1 Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements Issue Date: 23/12/2022 Print Date: 23/01/2024 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier	
Product name	Sanodure Grey NL Liquid
Chemical Name	Not Applicable
Synonyms	Product Code: 102019
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Aluminium dye. Used in the metal processing industry.
Nelevant identified uses	Use according to manufacturer's directions.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	ALPHA CHEMICALS PTY LTD
Address	4 ALLEN PLACE WETHERILL PARK NSW 2164 Australia
Telephone	61 (0)2 9982 4622
Fax	Not Available
Website	~
Email	shane@alphachem.com.au

Emergency telephone number

Association / Organisation	ALPHA CHEMICALS PTY LTD	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	61 (0)418 237 771	+61 1800 951 288
Other emergency telephone numbers	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Chemwatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	0		1 = Low
Reactivity	0		2 = Moderate
Chronic	2	i	3 = High 4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Sensitisation (Skin) Category 1A	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Hazard pictogram(s)	
Signal word	Warning
Hazard statement(s)	
H317	May cause an allergic skin reaction.
Precautionary statement(s) Pre	evention
P280	Wear protective gloves and protective clothing.
P261	Avoid breathing mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
Precautionary statement(s) Re	sponse
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	Not Spec	azo dyestuff/chromium complex anionic
55965-84-9	0.0015-<0.06	isothiazolinones, mixed
7732-18-5	NotSpec Distilled Water	
Legend:	 Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available 	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) sulfur oxides (SOx) metal oxides
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Prevent spillage from entering drains or water ways. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. Always wash hands with soap and water after handling. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

Control noromotors

INGREDIENT DATA ot Available	EL)			
Emergency Limits				
Ingredient	TEEL-1	TEEL-2		TEEL-3
Sanodure Grey NL Liquid	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	
Distilled Water	Not Available		Not Available	
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating	3	Occupational Expo	osure Band Limit
isothiazolinones, mixed	E		≤ 0.1 ppm	
Notes:		vith exposure. The output of t	this process is an occupation	ands based on a chemical's potency and the al exposure band (OEB), which corresponds to
xposure controls				
Appropriate engineering controls		s are: ng the way a job activity or pro- source which keeps a select nvironment. Ventilation can r icular process and chemical ppes of controls to prevent en	rocess is done to reduce the ed hazard "physically" away emove or dilute an air contar or contaminant in use.	
Individual protection measures, such as personal protective equipment			$\overline{\mathbf{\Theta}}$	
Eye and face protection	the wearing of lenses or restriction and adsorption for the class of che their removal and suitable equipme remove contact lens as soon as pr	is on use, should be created emicals in use and an account ent should be readily available racticable. Lens should be readily	for each workplace or task. T at of injury experience. Medic le. In the event of chemical e moved at the first signs of ey	e irritants. A written policy document, describing his should include a review of lens absorption al and first-aid personnel should be trained in xposure, begin eye irrigation immediately and e redness or irritation - lens should be removed nt Intelligence Bulletin 59], [AS/NZS 1336 or
Skin protection	See Hand protection below			
	manufacturer. Where the chemical is a and has therefore to be checked prior t	not only depend on the mater preparation of several subst to the application.		of quality which vary from manufacturer to glove material can not be calculated in advance
Hands/feet protection	making a final choice.	effective hand care. Gloves m ion of a non-perfumed moistu	uust only be worn on clean ha	ands. After using gloves, hands should be
Hands/feet protection	making a final choice. Personal hygiene is a key element of e washed and dried thoroughly. Applicati	effective hand care. Gloves m ion of a non-perfumed moistu	uust only be worn on clean ha	-

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computergenerated selection:

Sanodure Grey NL Liquid

Material	CPI
BUTYL	A
NEOPRENE	A
VITON	А

ry p sp

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	AK-AUS / Class1 P2	-

NATURAL RUBBER	С
PVA	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

 $\ensuremath{\text{NOTE}}$: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

up to 50	1000	-	AK-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	AK-2 P2
up to 100	10000	-	AK-3 P2
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Black liquid; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.13
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	>100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	6 approx (5 g/l)
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Not normally a hazard due to non-volatile nature of pro-	oduct	
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact		effects or skin irritation following contact (as classified by EC Directives using animal s that exposure be kept to a minimum and that suitable gloves be used in an occupational	
Eye	Although the liquid is not thought to be an irritant (as or characterised by tearing or conjunctival redness (as w	classified by EC Directives), direct contact with the eye may produce transient discomfort /ith windburn).	
Chronic	Skin contact with the material is more likely to cause a	a sensitisation reaction in some persons compared to the general population.	
	ΤΟΧΙCΙΤΥ	IRRITATION	
Sanodure Grey NL Liquid	Oral (Rat) LD50: >5000 mg/kg ^[2]	Eye : Not irritating	
		Skin : Not irritating	

	ΤΟΧΙΟΙΤΥ	IRRITATION	
	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effe	ct observed (irreversible damage) ^[1]
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h ^[1]	ect observed (corrosive) ^[1]	
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effe	ect observed (irritating) ^[1]
	τοχιζιτγ	IRRITATION	
Distilled Water	Oral (Rat) LD50: >90000 mg/kg ^[2]	Not Available	
Legend:	 Value obtained from Europe ECHA Registered Subst specified data extracted from RTECS - Register of Toxic 	-	ed from manufacturer's SDS. Unless otherwise
	The following information refers to contact allergens as Contact allergies quickly manifest themselves as contact eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signil distributed can be a more important allergen than one w clinical point of view, substances are noteworthy if they In light of potential adverse effects, and to ensure a ham been established with the objective of ensuring a high le required that risk assessment of biocidal products is car assessment of the biocidal products are the utilization in thus the exposure of humans and the environment to th Humans may be exposed to biocidal products in differer for industrial sectors or professional uses only, whereas users. In addition, potential exposure of non-users of bio example through drinking water, the food chain, as well	At eczema, more rarely as urticaria or ne reaction of the delayed type. Othe licance of the contact allergen is not s ontact with it are equally important. A with stronger sensitising potential with produce an allergic test reaction in m monised risk assessment and manag evel of protection of human and anima ried out before they can be placed or nstructions that defines the dosage, a e biocidal substance. It ways in both occupational and dom other biocidal products are commonl bocidal products (i.e. the general public	Quincke's oedema. The pathogenesis of contact r allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the weakly sensitising substance which is widely which few individuals come into contact. From a ore than 1% of the persons tested. ement, the EU regulatory framework for biocides has al health and the environment. To this aim, it is the market. A central element in the risk pplication method and amount of applications and nestic settings. Many biocidal products are intended y available for private use by non-professional
ISOTHIAZOLINONES, MIXED	the exposure of vulnerable sub-populations, such as the exposed indirectly following the application of biocidal p contact, and ingestion) and pathway (food, drinking wat Formaldehyde generators (releasers) are often used as must be labelled with the warning sign "contains formald preservatives ensures that the level of free formaldehyd metabolism to cause death of the organism. However th cancers (nitrosamines) when used in formulations conta The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged on vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RAD2 criteria for diagnosing RAD5 include the absence of pre asthma-like symptoms within minutes to hours of a doct airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. RADS (the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritation disorder is characterized by difficulty breathing, cough a	e elderly, pregnant women, and childr roducts. Furthermore, exposure to bid er, residential, occupational) of expos preservatives. The maximum authori dehyde" where the concentration exce e in the products is always low but su there is a concern that formaldehyde g uning amines. I contact causing inflammation. Reper repeated exposure and may produce in vears after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic immented exposure to the irritant. Othe e bronchial hyperreactivity on methac or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co	en. Also pets and other domestic animals can be boides may vary in terms of route (inhalation, dermal ure, level, frequency and duration. ised concentration of free formaldehyde is 0.2% and deeds 0.05%. The use of formaldehyde-releasing ifficient to inhibit microbial growth - it disrupts tenerators can produce amines capable of causing ated or prolonged exposure to irritants may produce e on contact skin redness, swelling, the production of ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal lation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a
ISOTHIAZOLINONES, MIXED Sanodure Grey NL Liquid & ISOTHIAZOLINONES, MIXED & DISTILLED WATER	exposed indirectly following the application of biocidal p contact, and ingestion) and pathway (food, drinking wath Formaldehyde generators (releasers) are often used as must be labelled with the warning sign "contains formald preservatives ensures that the level of free formaldehyd metabolism to cause death of the organism. However th cancers (nitrosamines) when used in formulations conta The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged on vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RAD criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a doct airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. RADS (the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritation	e elderly, pregnant women, and childr roducts. Furthermore, exposure to bid er, residential, occupational) of expos preservatives. The maximum authori dehyde" where the concentration exce e in the products is always low but su there is a concern that formaldehyde g uning amines. I contact causing inflammation. Reper repeated exposure and may produce in vears after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic umented exposure to the irritant. Othe e bronchial hyperreactivity on methad or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co ind mucus production.	en. Also pets and other domestic animals can be boides may vary in terms of route (inhalation, dermal ure, level, frequency and duration. ised concentration of free formaldehyde is 0.2% and deeds 0.05%. The use of formaldehyde-releasing ifficient to inhibit microbial growth - it disrupts tenerators can produce amines capable of causing ated or prolonged exposure to irritants may produce e on contact skin redness, swelling, the production of ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal lation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a
Sanodure Grey NL Liquid & ISOTHIAZOLINONES, MIXED & DISTILLED WATER	exposed indirectly following the application of biocidal p contact, and ingestion) and pathway (food, drinking wath Formaldehyde generators (releasers) are often used as must be labelled with the warning sign "contains formald preservatives ensures that the level of free formaldehyd metabolism to cause death of the organism. However th cancers (nitrosamines) when used in formulations conta The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged on vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADI criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a doct iarflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. RADS (the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough a	e elderly, pregnant women, and childr roducts. Furthermore, exposure to bio er, residential, occupational) of expos preservatives. The maximum authori dehyde" where the concentration excit e in the products is always low but su tere is a concern that formaldehyde g ining amines. I contact causing inflammation. Repea r repeated exposure and may produce n years after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic immented exposure to the irritant. Othe e bronchial hyperreactivity on methac or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co ind mucus production.	en. Also pets and other domestic animals can be boides may vary in terms of route (inhalation, derma ure, level, frequency and duration. ised concentration of free formaldehyde is 0.2% and eeds 0.05%. The use of formaldehyde-releasing afficient to inhibit microbial growth - it disrupts tenerators can produce amines capable of causing ated or prolonged exposure to irritants may produce e on contact skin redness, swelling, the production of ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal lation is an infrequent disorder with rates related to industrial bronchittis is a disorder that occurs as a completely reversible after exposure ceases. The
Sanodure Grey NL Liquid & ISOTHIAZOLINONES, MIXED	exposed indirectly following the application of biocidal p contact, and ingestion) and pathway (food, drinking wath Formaldehyde generators (releasers) are often used as must be labelled with the warning sign "contains formald preservatives ensures that the level of free formaldehyd metabolism to cause death of the organism. However th cancers (nitrosamines) when used in formulations conta The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADD criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a doct airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. RADS (the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough a	e elderly, pregnant women, and childr roducts. Furthermore, exposure to bid er, residential, occupational) of expos preservatives. The maximum authori dehyde" where the concentration exce e in the products is always low but su there is a concern that formaldehyde g uning amines. I contact causing inflammation. Repeated repeated exposure and may produce in vears after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic umented exposure to the irritant. Othe e bronchial hyperreactivity on methad or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co ind mucus production. ture search. Carcinogenicity	en. Also pets and other domestic animals can be boides may vary in terms of route (inhalation, derma ure, level, frequency and duration. ised concentration of free formaldehyde is 0.2% and eeds 0.05%. The use of formaldehyde-releasing ifficient to inhibit microbial growth - it disrupts tenerators can produce amines capable of causing ated or prolonged exposure to irritants may produce e on contact skin redness, swelling, the production of ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal lation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a
Sanodure Grey NL Liquid & ISOTHIAZOLINONES, MIXED & DISTILLED WATER Acute Toxicity Skin Irritation/Corrosion	exposed indirectly following the application of biocidal p contact, and ingestion) and pathway (food, drinking wath Formaldehyde generators (releasers) are often used as must be labelled with the warning sign "contains formald preservatives ensures that the level of free formaldehyd metabolism to cause death of the organism. However th cancers (nitrosamines) when used in formulations conta The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RAD2 criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docc airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. RADS (i the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough a No significant acute toxicological data identified in literation	e elderly, pregnant women, and childr roducts. Furthermore, exposure to bid er, residential, occupational) of expos preservatives. The maximum authori elehyde" where the concentration exce e in the products is always low but su tere is a concern that formaldehyde g uning amines. I contact causing inflammation. Reper r repeated exposure and may produce h years after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic umented exposure to the irritant. Othe e bronchial hyperreactivity on methac or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co ind mucus production. ture search. Carcinogenicity Reproductivity	en. Also pets and other domestic animals can be boides may vary in terms of route (inhalation, derma ure, level, frequency and duration. ised concentration of free formaldehyde is 0.2% and eeds 0.05%. The use of formaldehyde-releasing ufficient to inhibit microbial growth - it disrupts enerators can produce amines capable of causing ated or prolonged exposure to irritants may produce e on contact skin redness, swelling, the production high levels of highly irritating compound. Main or criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal lation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The
Sanodure Grey NL Liquid & ISOTHIAZOLINONES, MIXED & DISTILLED WATER Acute Toxicity	exposed indirectly following the application of biocidal p contact, and ingestion) and pathway (food, drinking wath Formaldehyde generators (releasers) are often used as must be labelled with the warning sign "contains formald preservatives ensures that the level of free formaldehyd metabolism to cause death of the organism. However th cancers (nitrosamines) when used in formulations conta The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged on vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RAD: criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a doct airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophila. RADS (the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough a No significant acute toxicological data identified in literat	e elderly, pregnant women, and childr roducts. Furthermore, exposure to bid er, residential, occupational) of expos preservatives. The maximum authori dehyde" where the concentration exce e in the products is always low but su there is a concern that formaldehyde g uning amines. I contact causing inflammation. Repeated repeated exposure and may produce in vears after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic umented exposure to the irritant. Othe e bronchial hyperreactivity on methad or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co ind mucus production. ture search. Carcinogenicity	en. Also pets and other domestic animals can be boides may vary in terms of route (inhalation, derma ure, level, frequency and duration. ised concentration of free formaldehyde is 0.2% and eeds 0.05%. The use of formaldehyde-releasing ifficient to inhibit microbial growth - it disrupts tenerators can produce amines capable of causing ated or prolonged exposure to irritants may produce e on contact skin redness, swelling, the production of ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal lation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The

Legend: X

X – Data either not available or does not fill the criteria for classification v – Data available to make classification

SECTION 12 Ecological information

Toxicity Endpoint Test Duration (hr) Species Value Source Sanodure Grey NL Liquid Not Not Not Not Available Not Available Available Available Available Test Duration (hr) Endpoint Species Value Source LC50 96h Fish 0.129mg/l 2 EC50 72h Algae or other aquatic plants 0.006mg/L 2 isothiazolinones, mixed 2 EC50 48h Crustacea 0.007mg/l EC50 96h Algae or other aquatic plants 0.036mg/L 2

	NOEC(ECx) 48h	Algae or other aquatic plants	<0.001mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
Distilled Water	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Ecotox databa	n 1. IUCLID Toxicity Data 2. Europe ECHA Registero ase - Aquatic Toxicity Data 5. ECETOC Aquatic Haza ation Data 8. Vendor Data			

Biodegradability: ~70% (14 d, TOC) Fish toxicity: LC50: 100 mg/l (48 h, rainbow trout) DO NOT discharge into sewer or waterways.

Persistence and degradability

	Soil	Persistence: Air
Distilled Water LOW		LOW

Bioaccumulative potential					
Ingredient	Bioaccumulation				
	No Data available for all ingredients				
Mobility in soil					
Ingredient	Mobility				
	No Data available for all ingredients				

SECTION 13 Disposal considerations

Naste treatment methods	
Product / Packaging disposal	 Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required Marine Pollutant NO HAZCHEM Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group	
isothiazolinones, mixed	Not Available	
Distilled Water	Not Available	

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available
Distilled Water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Distilled Water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	No (isothiazolinones, mixed)		
Canada - DSL	Yes		
Canada - NDSL	No (isothiazolinones, mixed; Distilled Water)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)		
Japan - ENCS	No (isothiazolinones, mixed)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	No (isothiazolinones, mixed)		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (isothiazolinones, mixed)		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	23/12/2022
Initial Date	28/10/2013

SDS Version Summary

Version	Date of Update	Sections Updated
5.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
6.1	23/12/2022	Classification review due to GHS Revision change.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit ValueLOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- ► EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances

- TSCA: Toxic Substances Control Act
 TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- + FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.