

ALPHA CHEMICALS PTY LTD

Chemwatch Hazard Alert Code: 2

Chemwatch: 10051

Version No: 7.1

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Issue Date: 23/12/2022 Print Date: 06/11/2024 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	AMMONIUM PHOSPHATE DIBASIC		
Chemical Name	Not Available		
Synonyms	H9-N2-O4-P; (NH4)2HPO4; diammonium hydrogen phosphate; ammonium orthophosphate-mono-H; diammonium orthophosphate; ammonium phosphate, dibasic; diammonium phosphate DAP; diammonium phosphate, dibasic; diammonium phosphate fortilizer; ammonium phosphate, dibasic; diammonium phosphate DAP; diammonium phosphate anhydrous; ammonium phosphate fertilizer; ammonium phosphate, secondary; phosphoric acid, diammonium salt; secondary ammonium phosphate; DAP; DAP fertilizer; D.A.P.; nitrogen phosphorous fertiliser; fertiliser; diammonium hydrogen orthophosphate; phosphate ion (CAS RN: 14265-44-2); ALBRITE Diammonium Phosphate-Food and Technical Grade; diammonium phosphate, DAP, 18:20:0		
Chemical formula	04PjH9N2O4P		
Other means of identification	Not Available		
CAS number	7783-28-0		

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Fertilizer.When applied as plant food, it temporarily increases the soil pH, but over a long term the treated ground becomes more acidic than before upon nitrification of the ammonium. It is incompatible with alkaline chemicals because its ammonium ion is more likely to convert to ammonia in a high-pH environment. The average pH in solution is 7.5?8. The typical formulation is 18-46-0 (18% N, 46% P2O5, 0% K2O). DAP can be used as a fire retardant. It lowers the combustion temperature of the material, decreases maximum weight loss rates, and causes an increase in the production of residue or char. These are important effects in fighting wildfires as lowering the pyrolysis temperature and increasing the amount of char formed reduces that amount of available fuel and can lead to the formation of a firebreak. It is the largest component of some popular commercial firefighting products. DAP is also used as a yeast nutrient in winemaking and meadmaking; as an additive in some brands of cigarettes purportedly as a nicotine enhancer; to prevent afterglow in matches, in purifying sugar; as a flux for soldering tin, copper, zinc and brass; and to control precipitation of alkali-soluble and acid-insoluble colloidal dyes on wool
--------------------------	--

Details of the manufacturer or supplier of the safety data sheet

Registered company name	ALPHA CHEMICALS PTY LTD	
Address	ALLEN PLACE WETHERILL PARK NSW 2164 Australia	
Telephone	1 (0)2 9982 4622	
Fax	Not Available	
Website	~	
Email	shane@alphachem.com.au	

Emergency telephone number

Association / Organisation	ALPHA CHEMICALS PTY LTD	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone number(s)	61 (0)418 237 771	+61 1800 951 288
Other emergency telephone number(s)	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Chemwatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	1		0 = Minimum
Body Contact	2		1 = Low
Reactivity	0		2 = Moderate
Chronic	0		3 = High 4 = Extreme

Poisons Schedule	Not Applicable
Classification ^[1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, Hazardous to the Aquatic Environment Long-Term Hazard Category 4

Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI		
abel elements			
Hazard pictogram(s)			
Signal word	Warning		
azard statement(s)			
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H413	May cause long lasting harmful effects to aquatic life.		

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P332+P313	313 If skin irritation occurs: Get medical advice/attention.	
P362+P364	P362+P364 Take off contaminated clothing and wash it before reuse.	

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.	

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

P501

Substances

CAS No	%[weight]	Name
7783-28-0	>98	Ammonium Phosphate Dibasic
Not Available		Gradually decomposes on exposure to air & evolves
1336-21-6		ammonia
Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVS available		

Mixtures

See section above for composition of Substances

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.

- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. If swallowed do NOT induce vomiting If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration Ingestion Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
 - Seek medical advice.

Indication of any immediate medical attention and special treatment needed

for phosphate salts intoxication:

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Ingestion of large quantities of phosphate salts (over 1.0 grams for an adult) may cause an osmotic catharsis resulting in diarrhoea and probable abdominal cramps. Larger doses such as 4-8 grams will almost certainly cause these effects in everyone. In healthy individuals most of the ingested salt will be excreted in the faeces with the diarrhoea and, thus, not cause any systemic toxicity. Doses greater than 10 grams hypothetically may cause systemic toxicity.
- Treatment should take into consideration both anionic and cation portion of the molecule.
- All phosphate salts, except calcium salts, have a hypothetical risk of hypocalcaemia, so calcium levels should be monitored.

Treat symptomatically.

for irritant gas exposures:

- + the presence of the agent when it is inhaled is evanescent (of short duration) and therefore, cannot be washed away or otherwise removed
- + arterial blood gases are of primary importance to aid in determination of the extent of damage. Never discharge a patient significantly exposed to an irritant gas without obtaining an arterial blood sample
- supportive measures include suctioning (intubation may be required), volume cycle ventilator support (positive and expiratory pressure (PEEP), steroids and antibiotics, after a culture is taken

If the eyes are involved, an ophthalmologic consultation is recommended
 Occupational Medicine: Third Edition; Zenz, Dickerson, Horvath 1994 Pub: Mosby

- For acute or short term repeated exposures to ammonia and its solutions:
- Mild to moderate inhalation exposures produce headache, cough, bronchospasm, nausea, vomiting, pharyngeal and retrosternal pain and conjunctivitis. Severe inhalation produces laryngospasm, signs of upper airway obstruction (stridor, hoarseness, difficulty in speaking) and, in excessively, high doses, pulmonary oedema Warm humidified air may soothe bronchial irritation.
- Test all patients with conjunctival irritation for corneal abrasion (fluorescein stain, slit lamp exam)
- Dyspneic patients should receive a chest X-ray and arterial blood gases to detect pulmonary oedema.

SECTION 5 Firefighting measures

Extinguishing media

There is no restriction on the type of extinguisher which may be used.

None known

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility

Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Decomposes on heating and produces polyphosphoric acid; toxic fumes of ammonia Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: nitrogen oxides (NOx) phosphorus oxides (POx) May emit poisonous fumes. May emit corrosive fumes.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions	, protective equ	ipment and	l emergency	procedu	res
See section 8					

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.
Major Spills	 Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses.

- Recover product wherever possible.
 IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. For major quantities: Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams). Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.

Conditions for safe storage, including any incompatibilities

.	
Suitable container	 Glass container is suitable for laboratory quantities DO NOT use aluminium or galvanised containers DO NOT use mild steel or galvanised containers DO NOT use unlined steel containers Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	 Diammonium phosphate (syn: ammonium phosphate, dibasic) slowly forms anhydrous ammonia on contact with air forms anhydrous ammonia on contact with air forms anhydrous ammonia on contact with caustics reacts violently with strong oxidisers, magnesium, potassium chlorate, strong bases reacts with antimony(V) pentafluoride, lead diacetate, magnesium, silver nitrate, zinc acetate For ammonia Ammonia forms explosive mixtures with oxygen, chlorine, bromine, fluorine, iodine, mercury, platinum and silver. Fire and/or explosion may follow contact with acetaldehyde, acrolein, aldehydes, alkylene oxides, amides, antimony, boron, boron halides, bromine chloride, chloric acid, chlorine monoxide, o-chloronitrobenzene, 1-chloro-2,4-nitrobenzene, chlorosilane, chloromelamine, chromium trioxide, chronyl chloride, epichlorohydrin, hexachloromelamine, hypochlorites (do NOT mix ammonia with liquid household bleach), isocyanates, nitrogen tetraoxide, nitrogen trichloride, nitryl chloride, organic anhydrides, phosphorous trioxide, potassium ferricyanide, potassium mercuric cyanide, silver chloride, tibine, tellurium halides, tellurium hydropentachloride, tetramethylammonium amide, trimethylammonium amide, trioxygen difluoride, vinyl acetate. Shock-, temperature-, and pressure sensitive compounds are formed with antimony, chlorine, germanium compounds, halogens, heavy metals, hydrocarbons, mercury oxide, silver compounds (azides, chlorides, nitrates, oxides). Vapours or solutions of ammonia are corrosive to copper, copper alloys, galvanised metal and aluminium. Mixtures of ammonia and air lying within the explosive limits can occur above aqueous solutions of varying strengths. Avoid contact with sodium hydroxide, iron and cadmium. Several incidents involving sudden "boiling" (occasionally violent) of a concentrated solution (d, 0.880, 35 wt %.) have occurred when screw-capped winchesters are opened. These are attribut

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)	
INGREDIENT DATA		
Not Available		
Ingredient	Original IDLH	Revised IDLH
Ammonium Phosphate Dibasic	Not Available	Not Available
ammonia	Not Available	Not Available
Occupational Exposure Banding	3	
Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
Ammonium Phosphate Dibasic	E	≤ 0.01 mg/m³
ammonia	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals in adverse health outcomes associated with exposure. The output of this to a range of exposure concentrations that are expected to protect wor	process is an occupational exposure band (OEB), which corresponds

Appropriate engineering controls	CARE: Explosive vapour air mixtures may be present on opening vessels which have contained liquid ammonia. Fatalities have occurred Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. • Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Suitability and durability of glove type is dependent on usage. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. • polychloroprene. • nitrile rubber. • butyl rubber. • butyl rubber. • fluorocaoutchouc. • polyvinyl chloride. Gloves should be examined for wear and/ or degradation constantly.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

AMMONIUM PHOSPHATE DIBASIC

Material	CPI
BUTYL	A
HYPALON	A
NEOPRENE	A
NEOPRENE/NATURAL	A
NATURAL+NEOPRENE	В
NITRILE	В
NATURAL RUBBER	С
NITRILE+PVC	С
PVC	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type K-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	K P1 Air-line*	-	K PAPR-P1 -
up to 50 x ES	Air-line**	K P2	K PAPR-P2
up to 100 x ES	-	К РЗ	-
		Air-line*	-
100+ x ES	-	Air-line**	K PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

 \cdot Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

 The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option). Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

 Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU) Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Available as food grade, technical grade and fertiliser grade. White to light grey crystals or powder. Solubility is 58 g/100g at 20 deg. C. Mildly alkaline in reaction. Insoluble in ethanol, alcohol, acetone and ammonia. Odourless but has been reported as having a weak ammonia Appearance odour. Gradually decomposes and loses ammonia on exposure to air. This process is accelerated by heating. Slightly hygroscopic and tends to cake on storage. Taste is 'cooling saline'. Physical state Divided Solid Relative density (Water = 1) 1.62 @ 4 deg. C. Partition coefficient n-octanol Not Available Odour Not Available / water Auto-ignition temperature Odour threshold Not Available Not Applicable (°C) Decomposition pH (as supplied) Not Applicable 155 temperature (°C) Melting point / freezing point Viscosity (cSt) 155 (decomposes) Not Applicable (°C) Initial boiling point and 132.06 Decomposes. Molecular weight (g/mol) boiling range (°C) Not Available Flash point (°C) Not Applicable Taste Evaporation rate Not Applicable Explosive properties Not Available Flammability Not Available **Oxidising properties** Not Applicable Surface Tension (dyn/cm or Upper Explosive Limit (%) Not Applicable Not Applicable mN/m) Lower Explosive Limit (%) Not Applicable Volatile Component (%vol) Negligible Vapour pressure (kPa) Negligible Gas group Not Available 8 @ 25 deg. C Solubility in water Miscible pH as a solution (1%) Vapour density (Air = 1) Not Applicable VOC g/L Not Applicable Heat of Combustion (kJ/g) Not Available Ignition Distance (cm) Not Available Flame Height (cm) Not Available Flame Duration (s) Not Available **Enclosed Space Ignition** Enclosed Space Ignition Not Available Not Available Time Equivalent (s/m3) Deflagration Density (g/m3)

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Information on toxicological ef	fects
Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures. The highly irritant properties of ammonia vapour result as the gas dissolves in mucous fluids and forms irritant, even corrosive solutions. Inhalation of the ammonia fumes causes coughing, vomiting, reddening of lips, mouth, nose, throat and conjunctiva while higher concentrations can cause temporary blindness, restlessness, tightness in the chest, pulmonary oedema (lung damage), weak pulse and cyanosis. Inhalation of high concentrations of vapour may cause breathing difficulty, tightness in chest, pulmonary oedema and lung damage. Brief exposure to high concentrations > 5000 ppm may cause death due to asphyxiation (suffocation) or fluid in the lungs. Prolonged or regular minor exposure to the vapour may cause persistent irritation of the eyes, nose and upper respiratory tract. Massive ammonia exposures may produce chronic airway hyperactivity and asthma with associated pulmonary function changes. The average nasal retention of ammonia by human subjects was found to be 83%.
Ingestion	Ingestion of large amounts may cause diarrhoea, nausea, vomiting, cramps and burns to the mouth and throat. Accidental ingestion of the material may be damaging to the health of the individual. As absorption of phosphates from the bowel is poor, poisoning this way is less likely. Effects can include vomiting, tiredness, fever, diarrhoea, low blood pressure, slow pulse, cyanosis, spasms of the wrist, coma and severe body spasms. Large doses of ammonia or injected ammonium salts may produce diarrhoea and may be sufficiently absorbed to produce increased production of urine and systemic poisoning. Symptoms include weakening of facial muscle, tremor, anxiety, reduced muscle and limb control.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Solution of material in moisture on the skin, or perspiration, may increase irritant effects

Chemwatch: 10051 Version No: 7.1

AMMONIUM PHOSPHATE DIBASIC

		ATE DIBASIC	
	Entry into the blood-stream, through, for example, cut skin prior to the use of the material and ensure that an Mild skin reaction is seen with contact of the vapour o produces severe pain, a stinging sensation, burns and exposure may rarely, produce an itchy rash.	ny external damage is suitably prot of this material on moist skin. High o	ected. concentrations or direct contact with solutions
Eye	This material can cause eye irritation and damage in	some persons.	
Chronic	Long-term exposure to respiratory irritants may result Substance accumulation, in the human body, may occ exposure. Long term exposure to high dust concentrations may micron penetrating and remaining in the lung. Sodium phosphate dibasic can cause stones in the ki Prolonged or repeated minor exposure to ammonia g exposure or prolonged contact may produce skin infla disturbances to the bronchi and gastrointestinal tract. airways, liver, kidneys and spleen, as well as eye irrita	cur and may cause some concern f cause changes in lung function i.e. dney, loss of mineral from the bone as/vapour may cause long-term irri ammation and conjunctivitis. Other In animals, repeated exposure to s	following repeated or long-term occupational . pneumoconiosis, caused by particles less than 0. es and loss of thyroid gland function. Itation to the eyes, nose and upper airway. Repeat effects may include ulcers in the mouth and
	ΤΟΧΙΟΙΤΥ	IRRITATION	
AMMONIUM PHOSPHATE	dermal (rat) LD50: >5000 mg/kg ^[1]	Eye: no advers	e effect observed (not irritating) ^[1]
DIBASIC	Inhalation (Rat) LC50: >5 mg/l4h ^[1]	Skin: no advers	se effect observed (not irritating) ^[1]
	Oral (Rat) LD50: >2000 mg/kg ^[1]		
Legend:	1. Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To		btained from manufacturer's SDS. Unless otherwi
Legend: AMMONIA	1. Value obtained from Europe ECHA Registered Sub	xic Effect of chemical Substances	
-	 Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To The material may produce severe irritation to the eye 	xic Effect of chemical Substances causing pronounced inflammation. ven years after exposure to the mai frome (RADS) which can occur afte the absence of previous airways of hours of a documented exposure t ists, moderate to severe bronchial I hout eosinophilia. RADS (or asthm I duration of exposure to the irritatir o high concentrations of irritating so racterized by difficulty breathing, co	Repeated or prolonged exposure to irritants may terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent 1g substance. On the other hand, industrial bronch ubstance (often particles) and is completely
AMMONIA AMMONIUM PHOSPHATE	 Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To The material may produce severe irritation to the eye produce conjunctivitis. Asthma-like symptoms may continue for months or ex condition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function te and the lack of minimal lymphocytic inflammation, with disorder with rates related to the concentration of and is a disorder that occurs as a result of exposure due t reversible after exposure ceases. The disorder is cha 	xic Effect of chemical Substances causing pronounced inflammation. ven years after exposure to the mai frome (RADS) which can occur afte the absence of previous airways of hours of a documented exposure t ists, moderate to severe bronchial I hout eosinophilia. RADS (or asthm I duration of exposure to the irritatir o high concentrations of irritating so racterized by difficulty breathing, co	Repeated or prolonged exposure to irritants may terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent 1g substance. On the other hand, industrial bronch ubstance (often particles) and is completely
AMMONIA AMMONIUM PHOSPHATE DIBASIC & AMMONIA	 Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To The material may produce severe irritation to the eye produce conjunctivitis. Asthma-like symptoms may continue for months or ex- condition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function te and the lack of minimal lymphocytic inflammation, with disorder with rates related to the concentration of and is a disorder that occurs as a result of exposure due to reversible after exposure ceases. The disorder is cha No significant acute toxicological data identified in lite 	xic Effect of chemical Substances causing pronounced inflammation. ven years after exposure to the mai frome (RADS) which can occur afte a the absence of previous airways of hours of a documented exposure t sts, moderate to severe bronchial I hout eosinophilia. RADS (or asthm I duration of exposure to the irritatir o high concentrations of irritating so racterized by difficulty breathing, co rature search.	Repeated or prolonged exposure to irritants may terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent ng substance. On the other hand, industrial bronchi ubstance (often particles) and is completely ough and mucus production.
AMMONIA AMMONIUM PHOSPHATE DIBASIC & AMMONIA	 Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To The material may produce severe irritation to the eye produce conjunctivitis. Asthma-like symptoms may continue for months or ex- condition known as reactive airways dysfunction syndr compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function te and the lack of minimal lymphocytic inflammation, with disorder with rates related to the concentration of and is a disorder that occurs as a result of exposure due to reversible after exposure ceases. The disorder is cha No significant acute toxicological data identified in lite 	xic Effect of chemical Substances causing pronounced inflammation. ven years after exposure to the mai frome (RADS) which can occur afte the absence of previous airways of hours of a documented exposure t sts, moderate to severe bronchial I hout eosinophilia. RADS (or asthm I duration of exposure to the irritatir o high concentrations of irritating so racterized by difficulty breathing, co rature search.	Repeated or prolonged exposure to irritants may terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent ng substance. On the other hand, industrial bronchi ubstance (often particles) and is completely ough and mucus production.
AMMONIA AMMONIUM PHOSPHATE DIBASIC & AMMONIA Acute Toxicity Skin Irritation/Corrosion Serious Eye	 1. Value obtained from Europe ECHA Registered Sutt specified data extracted from RTECS - Register of To The material may produce severe irritation to the eye produce conjunctivitis. Asthma-like symptoms may continue for months or excondition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function te and the lack of minimal lymphocytic inflammation, with disorder with rates related to the concentration of and is a disorder that occurs as a result of exposure due to reversible after exposure ceases. The disorder is cha No significant acute toxicological data identified in lite 	xic Effect of chemical Substances causing pronounced inflammation. ven years after exposure to the mai frome (RADS) which can occur afte e the absence of previous airways of hours of a documented exposure t ests, moderate to severe bronchial hout eosinophilia. RADS (or asthm I duration of exposure to the irritatir o high concentrations of irritating si racterized by difficulty breathing, co rature search. Carcinogenicity Reproductivity	Repeated or prolonged exposure to irritants may terial ends. This may be due to a non-allergic er exposure to high levels of highly irritating disease in a non-atopic individual, with sudden ons to the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchi ubstance (often particles) and is completely ough and mucus production.

SECTION 12 Ecological information

Endpoint	Test Duration (hr)	Species	Value	Source
EC50	72h	Algae or other aquatic plants	>100mg/l	2
EC50	48h	Crustacea	>100mg/l	2
LC50	96h	Fish	1.32mg/L	2
NOEC(ECx)	72h	Algae or other aquatic plants	100mg/l	2
	EC50 EC50 LC50 NOEC(ECx) Extracted from 1	EC50 72h EC50 48h LC50 96h NOEC(ECx) 72h Extracted from 1. IUCLID Toxicity Data 2. Europe EC	EC50 72h Algae or other aquatic plants EC50 48h Crustacea LC50 96h Fish NOEC(ECx) 72h Algae or other aquatic plants	EC50 72h Algae or other aquatic plants >100mg/l EC50 48h Crustacea >100mg/l LC50 96h Fish 1.32mg/L

May cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

For Ammonia:

Atmospheric Fate: Ammonia reacts rapidly with available acids (mainly sulfuric, nitric, and sometimes hydrochloric acid) to form the corresponding salts. Ammonia is persistent in the air.

Aquatic Fate: Biodegrades rapidly to nitrate, producing a high oxygen demand. Non-persistent in water (half-life 2 days).

Ecotoxicity: Moderately toxic to fish under normal temperature and pH conditions and harmful to aquatic life at low concentrations. Does not concentrate in food chain.

For Phosphate: The principal problems of phosphate contamination of the environment relates to eutrophication processes in lakes and ponds. Phosphorus is an essential plant nutrient and is usually the limiting nutrient for blue-green algae.

Aquatic Fate: Lakes overloaded with phosphates is the primary catalyst for the rapid growth of algae in surface waters. Planktonic algae cause turbidity and flotation films. Shore algae cause ugly muddying, films and damage to reeds. Decay of these algae causes oxygen depletion in the deep water and shallow water near the shore. The process is self-perpetuating because an anoxic condition at the sediment/water interface causes the release of more adsorbed phosphates from the sediment. The growth of algae produces undesirable effects on the treatment of water for drinking purposes, on fisheries, and on the use of lakes for recreational purposes.

DO NOT discharge into sewer or waterways.

Ingredient	Persistence: Water/Soil Persistence: Air		
	No Data available for all ingredients	No Data available for all ingredients	
Bioaccumulative potential			
Ingredient	Bioaccumulation		
	No Data available for all ingredients		
Mobility in soil			
Ingredient	Mobility		
	No Data available for all ingredients		

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: • Reduction • Reuse • Recycling • Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. • DO NOT allow wash water from cleaning or process equipment to enter drains. • It may be necessary to collect all wash water for treatment before disposal. • In all cases disposal to sever may be subject to local laws and regulations and these should be considered first. • Where in doubt contact the responsible authority. • Recycle wherever possible or consult manufacturer for recycling options. • Consult State Land Waste Management Authority for disposal. • Bury residue in an authorised landfill. • Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 Transport information

Labels Required		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Ammonium Phosphate Dibasic	Not Available
ammonia	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
Ammonium Phosphate Dibasic	Not Available
ammonia	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

Ammonium Phosphate Dibasic is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

ammonia is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (ammonia)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	23/12/2022
Initial Date	12/07/2006

SDS Version Summary

Version	Date of Update	Sections Updated	
6.1	31/08/2019	First Aid measures - Advice to Doctor, Identification of the substance / mixture and of the company / undertaking - Synonyms, Identification of the substance / mixture and of the company / undertaking - Use	
7.1	23/12/2022	Classification review due to GHS Revision change.	

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
 ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value BCF: BioConcentration Factors
- BEI: Biological Exposure Index DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AlIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

end of SDS